

CERTIFICATE OF ANALYSIS

RE.INV. NO.: SSE14806

DATE: MAR.01,2021

COMMODITY: CITRIC ACID ANHYDROUS FCCVIII/USP GRANULAR 10-40 MESH

BATCH NO.:AA-2102-1098

NUMBER: 50LB/BAG × 880BAGS=19.9584MT

ANALYSIS DATE: FEB.23,2021

MANUFACTURING DATE: FEB.22,2021

EXPIRY DATE: FEB.21,2024

Item	Unit	STANDARD DATA	ACTUAL DATA
CHARACTERS	---	WHITE CRYSTALLINE POWDERS,COLORLESS CRYSTALS OR GRANULES	PASS TEST
IDENTIFICATION		PASS TEST	PASS TEST
COLOR & CLARITY OF SOLUTION		PASS TEST	PASS TEST
TRANSMITTANCE	%	≥96.0	99.4
ASSAY	%	99.5-100.5	99.96
WATER	%	≤0.5	0.15
HEAVY METALS	PPM	≤5	2
OXALATE	PPM	≤100	30
SULPHATE	PPM	≤150	10
CALCIUM	PPM	≤75	4
SULPHATE ASH	%	≤0.05	0.01
READILY CARBONISABLE SUBSTANCES	---	PASS TEST	PASS TEST
ALUMINUM	PPM	≤0.2	0.15
ARSENIC	PPM	≤1	0.1
BACTERIAL ENDOTOXINS	I.U./MG	≤0.5	0.38
CHLORIDE	PPM	≤50	2
IRON	PPM	≤5	1
LEAD	PPM	≤0.5	<0.5
MERCURY	PPM	≤1	<1
ORGANIC VOLATILE IMPURITY	---	PASS TEST	PASS TEST
TRIDODECYLAMINE	PPM	≤0.1	<0.1

CONCLUSION: THE QUALITY OF THIS LOT OF GOODS CONFORMING WITH THE STANDARD FCC/USP. ANALYSIS IS BASED ON PRODUCTION LINE CONTROL OR RANDOM TESTING

BBFY PO NO.:21013

CONTAINER NO.: MEDU3607161

บริษัท ซันชાય ไบโอบีโอดี อินเทอร์เน็ต อินเตอร์เนชั่นแนล จำกัด
SUNSHINE BIOTECH INTERNATIONAL CO., LTD.