

Atmosphere AG Forte Pro Cleans, Deodorizes, & Disinfects in One-Step when used as according to disinfectant directions hard, non-porous surfaces. Cleans and disinfects animal premises (CAFO, Barn, Holding area). Atmosphere AG Forte Pro is for use on hard, non-porous surfaces in farmhouses, barns, sheds, tool sheds, pens and stalls, swine quarters, livestock farms, equine quarters, brooder houses, seed houses, veal, calving, hog, cattle and horse operations, chick vans, egg trucks, hatchery and farm vehicles. Atmosphere AG Forte Pro cleans by removing dirt, grime, mold, mildew, blood, urine, fecal matter, and other common soils found in animal housing facilities livestock, swine or poultry facilities, grooming facilities, farms, kennels, pet stores, veterinary clinics, laboratories, or other small animal facilities. Atmosphere AG Forte Pro is an effective disinfectant in the presence of organic soil. Atmosphere AG Forte Pro is a versatile disinfectant for veterinarian, veterinary practice, animal care, animal laboratory and agricultural and farm premise applications.

DISINFECTION PERFORMANCE: This product kills the following bacteria in 10 minutes at 2.1 oz. per gal. of 200 ppm hard water and 5% soil on hard, non-porous surfaces: *Escherichia coli O157:H7*, *Listeria monocytogenes*, *Proteus vulgaris*, *Pseudomonas aeruginosa*, *Salmonella enterica*, *Staphylococcus aureus*

VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 2.1 oz. per gal. of 200 ppm hard water and 5% soil on hard, non-porous surfaces: *Norovirus*

ANIMAL PREMISE VIRUCIDAL* PERFORMANCE:

This product kills the following viruses in 10 minutes at 2.1 oz. per gal. of 200 ppm hard water and 5% soil on hard, non-porous surfaces: *Feline Calicivirus*, *Porcine Respiratory and Reproductive Virus*, *Porcine Epidemic Diarrhea Virus*

This product kills the following viruses in 10 minutes at 1 oz. per gal. of 200 ppm hard water and 5% soil on hard, non-porous surfaces: *Porcine Respiratory and Reproductive Virus*, *Porcine Epidemic Diarrhea Virus*

DIRECTIONS OF USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Prior to use of this product, remove all animals and feeds from premises, areas to be treated, animal transportation, vehicles, trucks, cars, enclosures, coops, crates, kennels, and stables. Remove all litter, droppings and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other surfaces of facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean surfaces with soap or detergent and rinse with water.

FOR USE AS AN ANIMAL PREMISE DISINFECTANT/VIRUCIDE*: Prepare a use solution of 2.1 oz. of this product per gal. of water (or equivalent use dilution) (1230 ppm active).

FOR USE AS AN PORCINE PREMISE DISINFECTANT/VIRUCIDE*: Prepare a use solution of 1 oz. of this product per gal. of water (or equivalent use dilution) (585 ppm active).

Apply use solution to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, mechanical spray device, and hand pump trigger spray device. For spray applications, spray 6 - 8 inches from surface. Do not breathe spray. Immerse all halters and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure in the use solution. Treated surfaces must remain wet for 10 minutes. Ventilate buildings, coops, and other closed spaces. Do not house animals, poultry, livestock or employ equipment until treatment has been absorbed, set, or dried. Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains and waterers and other treated equipment which can contact food or water with soap or detergent, and rinse with potable water before reuse.

FOR USE AS A GENERAL DISINFECTANT CLEANER ON LIVESTOCK TRANSPORT VEHICLES:

1. Apply 2.1 oz. of Atmosphere AG Forte Pro per gal. of water (or equivalent use dilution) to hard, non-porous surfaces using a sponge, brush, cloth, mop, mechanical spray device, and hand pump trigger spray device. For spray applications, spray 6 - 8 inches from surface. Do not breathe spray.
2. Scrape all feces, droppings, manure, litter, feathers, and other animal debris from vehicles surfaces.
3. Saturate all vehicle surfaces by spraying Atmosphere AG Forte Pro solution until visibly wet.
4. Allow vehicle surfaces to remain wet for 10 minutes.
5. Thoroughly scrub all treated surfaces with Atmosphere AG Forte Pro solution.
6. Rinse all treated surfaces with water.
7. Apply second application of Atmosphere AG Forte Pro solution at dilution and leave on.
8. Do not return animals to vehicles until surfaces are visibly dry.



CLEANER – DISINFECTANT
ANTIMICROBIAL – VIRUCIDAL* – BACTERICIDAL – DEGREASER – DEODORIZER

ACTIVE INGREDIENT:	
Alkyl (67% C ₁₂ , 25% C ₁₄ , 7% C ₁₆ , 1% C ₁₈) Dimethyl Benzyl Ammonium Chloride.....	7.5%
OTHER INGREDIENTS	92.5%
TOTAL:	100.00%

KEEP OUT OF REACH OF CHILDREN
DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ATMOSPHERE GLOBAL LLC
55 W Goethe St Chicago IL 60610
630-660-2833

EPA REG. No: 92378-2
EPA EST. No: 10088-WI-2
NET CONTENTS: 1 Gallon

FOR USE ON HARD NON-POROUS SURFACES SUCH AS A BOOT/SHOE WASH TO PREVENT CROSS CONTAMINATION:

1. Dilute Atmosphere AG Forte Pro concentrate with water at a 1:60 ratio at 2.1 oz. of this product per gal. of water.
2. Place shoe baths containing once inch of freshly made Atmosphere AG Forte Pro use-solution at all entrances of buildings.
3. Scrape all feces, droppings, manure, litter, and other solids from boots/and or shoes.
4. Immerse boots and or shoes in boot/shoe wash containing Atmosphere AG Forte Pro use-solution.
5. Allow boots and or shoes to remain wet for 10 minutes of contact time.
6. Remove boots and shoes from boot wash.
7. Allow to air dry.
8. Change solution daily or when visibly dirty.

VEHICLES:

To clean and disinfect hard, non-porous surfaces on vehicles including mats, crates, cabs, trailers, and wheels, use 2.1 oz. of this product per gal. of water (or equivalent use dilution). Apply use solution to hard, non-porous surfaces on vehicles. Leave treated surfaces wet for 10 minutes. Allow to air dry.

CLEAN/DISINFECT/DEODORIZE KITCHEN/BATHROOM/HOUSEHOLD HARD, NON-POROUS, NON-FOOD CONTACT SURFACES:

Pre-clean visibly soiled areas. Apply a solution of 2.1 oz. of this product per gal. of water (or equivalent use dilution) to hard, non-porous non-food contact surfaces with a brush, cloth, mop, sponge, mechanical spray device, hand pump trigger spray device. For spray applications, hold container 6 to 8 inches from surface. Do not breathe spray. For disinfection, treated surfaces must remain wet for 10 minutes. Rinse with potable water after use on surfaces that come in contact with food. Wipe up excess liquid or allow to air dry. Prepare a fresh solution daily or when visibly dirty.

GENERAL DEODORIZER:

To deodorize, apply 2.1 oz. of Atmosphere AG Forte Pro per gal. of water to hard, non-porous surfaces. Wipe up excess liquid and allow to air dry.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through the skin. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Wear a minimum of NIOSH-approved particulate filtering facepiece respirator with any N, R, or P filter. Higher level respirators that are NIOSH approved for particulates can also be used. Wear goggles or face shield and chemical-resistant gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, oysters, and shrimp.