

Each mL of suspension contains:

**Active Ingredients:**

Penicillin G benzathine ..... 150,000 units  
Penicillin G procaine ..... 150,000 units

**Inactive Ingredients:**

Lecithin ..... 11.7 mg  
Sodium formaldehyde sulfoxylate ..... 1.75 mg  
Methylparaben (as preservative) ..... 1.20 mg  
Propylparaben (as preservative) ..... 0.14 mg  
Tween 40 ..... 8.19 mg  
Span 40 ..... 11.3 mg  
Sodium citrate anhydrous ..... 3.98 mg  
Procaine hydrochloride ..... 20 mg  
Sodium carboxymethylcellulose ..... 1.04 mg  
Water for Injection ..... q.s.

STORE UNDER REFRIGERATION BETWEEN 2°-8°C (36°-46°F)  
PROTECT FROM FREEZING

Dispose of in an approved land fill or by incineration.

TAKE TIME



OBSERVE LABEL  
DIRECTIONS

Manufactured for:  
Aspen Veterinary Resources,® Ltd.  
Liberty, MO 64068, USA  
www.aspenveterinaryresources.com  
LX-2488B Iss. 03-11

# *Bactracillin G™ Benzathine*

## Penicillin G Benzathine & Penicillin G Procaine

Injectable Suspension  
Aqueous Suspension  
Antibiotic

300,000 units per mL

For Subcutaneous Use in Beef Cattle Only  
Sterile, Multiple Dose Vial

Restricted Drug (California)  
Use Only as Directed

NADA 065-506, Approved by FDA



VETERINARY RESOURCES,® Ltd.

**NET CONTENTS:**  
**100 mL**

See Insert For Directions

**WARM TO ROOM TEMPERATURE AND SHAKE  
WELL BEFORE USING**

**Beef Cattle:** 2 mL per 150 lb. body weight, given  
subcutaneously only.

**FOR ANIMAL USE ONLY**

**KEEP OUT OF REACH OF CHILDREN**

**RESIDUE WARNING:**

Do not inject intramuscularly.  
Beef cattle should be withheld from  
slaughter for food use for thirty (30) days  
following last treatment. Treatment in  
beef cattle must be limited to two (2)  
doses. A withdrawal period has not been  
established for this product in pre-  
ruminating calves.

Do not use in calves to be processed for veal.

Product No.: 1PBE300  
8PBE300-311

Lot No./Exp. Date:

