




# BROILER VITAMINS



**Danger**

**Hazard statements**

**May form combustible dust concentrations in air. H319 Causes serious eye irritation. H360 May damage fertility or the unborn child.**

**Precautionary statements** Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:** P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention.

**Storage:** P405 Store locked up.

**Disposal:** P501 Dispose of contents/ container to an approved waste disposal plant.

**Contains: retinyl acetate**

**GUARANTEED ANALYSIS**

	PER POUND	PER KILO
Vitamin A, IU	Minimum 6 800 000	14 991 182
Vitamin D3, IU	Minimum 2 700 000	5 952 381
25-hydroxyvitamin D3, mg	Minimum 44.9	99.0
Vitamin E, IU	Minimum 38 000	83 774
Vitamin B12, mg	Minimum 15.0	33.0
Menadione, mg	Minimum 3 000	6 614
Riboflavin, mg	Minimum 7 000	15 432
d-Pantothenic Acid, mg	Minimum 12 000	26 455
Thiamine, mg	Minimum 2 000	4 409
Niacin, mg	Minimum 45 000	99 206
Vitamin B6, mg	Minimum 3 300	7 275
Folic Acid, mg	Minimum 1 000	2 205
Biotin, mg	Minimum 170.1	375.0

**INGREDIENTS:** Rice Hulls, Calcium Carbonate, Vitamin E Supplement, Niacin Supplement, d-Calcium Pantothenate, Menadione Sodium Bisulfite Complex, Ethoxyquin (a preservative), Riboflavin Supplement, Vitamin A Supplement, Vitamin D3 Supplement, Mineral Oil, Pyridoxine Hydrochloride, 25-hydroxyvitamin D3, Thiamine Mononitrate, Biotin, Vitamin B12 Supplement, Folic Acid.  
**DIRECTIONS FOR USE:** Use at the rate not to exceed 1.4 pounds per ton to provide 69 ppb 25-hydroxyvitamin D3 in feed. Use at the rate not to exceed 0.7 pounds per ton to provide 34.5 ppb 25-hydroxyvitamin D3 in drinking water.  
**CAUTION:** This premix contains 13,320.0 ppm ethoxyquin. The maximum quantity of Ethoxyquin in the final finished feed shall not exceed 150 ppm (0.015%) from all sources. 25-Hydroxyvitamin D3 should not be used simultaneously in both feed and water.

For Use in Manufactured Feed Only

**NP30191900**

Manufactured for  
**AG PROVISION, LLC**  
Kenansville, NC

**Net weight: 900 KG**  
**(1,984.14 POUNDS)**

**Date Manufactured:**  
**00/00/0000**

Lot Number