

FOR USE IN ANIMALS ONLY

INDICATIONS: To be used as an aid in the treatment of parturient paresis (milk fever) in cattle.

DOSAGE AND ADMINISTRATION:

Cattle: 250 to 500 mL

Administer intravenously or intraperitoneally.

Solution should be warmed to body temperature and administered slowly. This product is sterile in unopened container. It contains no preservative. Use entire contents when first opened. It should be handled under aseptic conditions. If there is no apparent improvement in the animal's condition within 24 hours, consult a veterinarian.

EACH 100 mL CONTAINS:

ACTIVE INGREDIENTS

Calcium Gluconate
(provides 2.14 grams Calcium) 23 gms

INACTIVE INGREDIENTS

Water for Injection q.s.
Boric Acid
(as a stabilizing agent) 3.5 gms
Electrolytes per 1000 mL:
Calcium 1069 mEq
Hypertonic pH 2.5-4.5

Store between 15°C
and 30°C (59°F-86°F).

ISS20XB09

Manufactured for:
DURVET, INC.

Blue Springs, Missouri 64014
www.durvet.com

NDC 30798-126-17



Calcium Gluconate

23% SOLUTION

Dura-Ster TS

TERMINALLY STERILIZED



**NET
CONTENTS:**
500 mL
(16.9 FL. OZ.)

KEEP OUT OF REACH OF CHILDREN

INDICACIONES: Para ser usado como ayuda en el tratamiento de la paresia de parturienta (fiebre de la leche) en el ganado.

DOSIS Y ADMINISTRACIÓN

Ganado: 250 a 500 mL.

Administrar intravenosamente o intraperitonealmente.

La solución debe ser calentada hasta temperatura corporal y ser administrada lentamente. Este producto es estéril en el contenedor sin abrir. No contiene preservantes. Use la totalidad del contenido cuando lo abra por primera vez. Debe ser manipulado bajo condiciones asépticas. Si no hay mejoría aparente en la condición del animal dentro de 24 horas, consulte a un veterinario.

CADA 100 mL CONTIENEN:

INGREDIENTES ACTIVOS

Gluconato de calcio
(proporciona 2.14 gramos de calcio) 23 gms

INGREDIENTES INACTIVOS

Agua para inyección q.s.
Ácido bórico
(como agente estabilizador) 3.5 gms
Electrolitos por 1000 mL:
Calcio 1069 mEq
Hipertónico pH 2.5-4.5

Almacenar a entre 15°C y 30°C (59°F-86°F).

TAKE TIME



OBSERVE
LABEL DIRECTIONS
TÓMESE SU TIEMPO



SIGA LAS INSTRUCCIONES
EN LA ETIQUETA

ESTERILIZADO TERMINALMENTE