



**Dosage and Directions:** While wearing protective gloves, remove shipping cap and seal; replace with enclosed plastic dispensing cap. Remove cover from bottle dispensing tip and connect luer lock syringe (without needle). Draw out appropriate volume of ChronoMate™. (Note: Do not remove syringe while bottle is inverted as spillage may result.) Detach syringe and replace cover on bottle dispensing tip to prevent leakage. Administer 6.8 mL (15 mg altrenogest) per gilt once daily for 14 consecutive days. Treat gilts on an individual animal basis by top-dressing ChronoMate on a portion of each gilt's daily feed allowance.

To produce the desired synchronization of estrus in a group of gilts, treat all of the gilts daily for the same 14-day period. Excessive use of a syringe may cause the syringe to stick; therefore, replace syringe as necessary.

**LIFT front label for full directions for use and warnings.**

**Human Food Safety:** Gilts must not be slaughtered for human consumption for 21 days after the last treatment.

Store at or below room temperature, 77°F (25°C).  
Close tightly.

ChronoMate trademark is the property of Ceva Santé Animale S.A.

© Ceva Animal Health, LLC

**Manufactured for:**  
Ceva Santé Animale  
Libourne, France

**Marketed by:**  
Ceva Animal Health, LLC  
Lenexa, KS 66215

ANADA #200-579, Approved by FDA  
C68410C-US / 01-N1-v2



(11/15)  
010402



Lot/Exp:



### FOR USE IN ANIMALS ONLY

#### Drug Facts:

**Active ingredient:** Altrenogest Solution 0.22% (2.2 mg/mL)

**Use:** For synchronization of estrus in sexually mature gilts that have had at least one estrous cycle. Treatment with altrenogest solution 0.22% results in estrus (standing heat) 4 to 9 days after completion of the 14-day treatment period.

**Caution:** Federal law prohibits extra-label use of this drug to enhance food and/or fiber production in animals.

**Do Not Use:** In gilts having a previous or current history of uterine inflammation (i.e., acute, subacute or chronic endometritis).



**Net Contents: 1000 mL**

Restricted Drug (California) – use only as directed.  
Not for Human Use

Keep this and all medication  
out of the reach of children.

