

CITRIC ACID

ACIDIFIER FOR POULTRY AND LIVESTOCK DRINKING WATER

DIRECTIONS FOR USE

Mix at the rate of 2 to 4 cups per 256 gallons of drinking water or prepare stock solution by dissolving 2 to 4 cups in 2 gallons of stock solution and meter using an automatic proportioning system at 1 ounce per gallon of drinking water. If subject to exposure, wear protective gloves, protective clothing, and eye protection. Wash hands and exposed skin thoroughly after handling.

HANDLING & STORAGE

Keep container tightly closed when not in use; protect containers from abuse; protect from extreme temperatures. Store in a dry, cool, and well ventilated area.

CHEMICAL & PHYSICAL HAZARDS

WARNING: Causes serious eye irritation.

COMPONENTS

Citric Acid (anhydrous)....(CAS 77-92-9)

RESPONSE


IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

For animal use only.
Not for human use.

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	
	
	
APRON GLOVES SPLASH GOGGLES	



SCAN FOR
SDS



102773

NOT LABELED FOR
INDIVIDUAL SALE

LOT NUMBER:

277 Faison McGowan Road
Kenansville, North Carolina 28349
(910) 296-0302 • customercare@agprovision.com

AG
PROVISION
LLC

NET WEIGHT: 30 lbs

BULK