

# CITRIC ACID

## ACIDIFIER FOR POULTRY AND LIVESTOCK DRINKING WATER

### DIRECTIONS FOR USE

Mix at the rate of 1 to 2 packs per 256 gallons of drinking water or prepare stock solution by dissolving 1 to 2 packs in 2 gallons of stock solution and meter using an automatic proportioning system at 1 ounce per gallon of drinking water. If subject to exposure, wear protective gloves, protective clothing, and eye protection. Wash hands and exposed skin thoroughly after handling.

### HANDLING & STORAGE

Keep container tightly closed when not in use; protect containers from abuse; protect from extreme temperatures. Store in a dry, cool, and well ventilated area.

### CHEMICAL & PHYSICAL HAZARDS

WARNING: Causes serious eye irritation.

### COMPONENTS

Citric Acid (anhydrous)...(CAS 77-92-9)

### RESPONSE


IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

For animal use only.  
Not for human use.

<b>HEALTH</b>	1	
<b>FLAMMABILITY</b>	1	
<b>PHYSICAL HAZARD</b>	0	
<b>PERSONAL PROTECTION</b>		
 APRON	 GLOVES	 SPLASH GOGGLES



SCAN FOR  
SDS



100374

**NOT LABELED FOR  
INDIVIDUAL SALE**

**LOT NUMBER:**

277 Faison McGowan Road  
Kenansville, North Carolina 28349  
(910) 296-0302 • [customercare@agprovision.com](mailto:customercare@agprovision.com)

**AG  
PROVISION  
LLC**