

INDICATIONS:

Enroflox™ 100 is indicated for the treatment and control of swine respiratory disease (SRD) associated with *Actinobacillus pleuropneumoniae*, *Pasteurella multocida*, *Haemophilus parasuis* and *Streptococcus suis*.

CONTAINS PER mL: Enrofloxacin 100 mg. Excipients: L-arginine base 200 mg, n-butyl alcohol 30 mg, benzyl alcohol (as a preservative) 20 mg and water for injection q.s.

DOSAGE AND ADMINISTRATION:

Administer once, behind the ear, a subcutaneous dose of 7.5 mg/kg of body weight (3.4 mL/100 lb). Administered dose volume should not exceed 5 mL per injection site.

RESIDUE WARNINGS:

Animals intended for human consumption must not be slaughtered within 5 days of receiving a single-injection dose.



2383

NDC 55529-153-04

Enroflox™ 100

(enrofloxacin)

100 mg/mL Antimicrobial
Injectable Solution



For Subcutaneous Use in Swine Only.

CAUTION:

Federal (U.S.A.) law restricts this drug to use by or on the order of a licensed veterinarian. Federal (U.S.A.) law prohibits the extra-label use of this drug in food producing animals.

ANADA 200-495, Approved by FDA

250 ml

**HUMAN WARNINGS:**

For use in animals only. Keep out of the reach of children.

For customer service, to obtain a copy of the Material Safety Data Sheet (MSDS) or to report adverse reactions, call Norbrook at 1-866-591-5777.

STORAGE CONDITIONS:

Protect from direct sunlight. Do not refrigerate or freeze. Store below 77°F (25°C). Precipitation may occur due to cold temperature. To redissolve, warm and then shake the vial.

Read package insert carefully for complete details.

Restricted Drug - California. Use Only as Directed.

Made in the UK

Norbrook Laboratories Limited
Newry, BT35 6PU, Co. Down,
Northern Ireland

TAKE TIME



OBSERVE LABEL
DIRECTIONS

Lot No.:

Exp. Date:

056670L01