


Each mL contains: flunixin meglumine equivalent to 50 mg flunixin, 0.1 mg edetate disodium, 2.2 mg sodium formaldehyde sulfoxylate, 4.0 mg diethanolamine, 207.2 mg propylene glycol, 5.0 mg phenol as preservative, hydrochloric acid, water for injection q.s.

RESIDUE WARNINGS: Swine must not be slaughtered for human consumption within 12 days of the last treatment.

Dosage & Administration:
For complete product information please see attached package insert.

**STORE BETWEEN 2°C - 30°C (36°F - 86°F).
PROTECT FROM FREEZING.**

 Bimeda

Flunazine®-S (flunixin meglumine)

INJECTABLE SOLUTION

50 mg/mL

Veterinary

Sterile Solution

Multi-Dose Vial

Restricted Drug (California)-Use Only as Directed

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.
ANADA 200-466, Approved by FDA

**Net
Contents: 100 mL**

**NOT FOR USE IN HUMANS
KEEP OUT OF REACH OF CHILDREN**

**For intramuscular use in swine.
Not for use in breeding swine.**

Read accompanying directions carefully.

Flunazine® is a Registered Trademark of Bimeda, Inc.

Manufactured by:
Bimeda-MTC Animal Health Inc.
Cambridge, ON Canada
N9C 2W4

Manufactured for:
Bimeda, Inc.
Le Sueur, MN 56058
www.bimeda.com

Product No. 1FLU009 8FLU015C Rev. 05/13



 PULL

 TAKE TIME
TO READ LABEL
DIRECTIONS