



Net Contents: 100 mL
Multiple-Dose Vial

**(flunixin meglumine
injection)**
50 mg/mL

Flunine™

NDC 69043-055-10
Sterile

NDC 69043-055-10

Sterile

Flunine™

**(flunixin meglumine
injection)**

50 mg/mL

Only for Intravenous Use in Beef and Dairy Cattle.

Not for Use in Dry Dairy Cows and Veal Calves.

For Intravenous and Intramuscular Use in Horses.

Caution: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

Approved by FDA under ANADA # 200-781

Net Contents: 100 mL

Multiple-Dose Vial



Each mL contains: 50 mg flunixin (equivalent to 83 mg flunixin meglumine), 0.1 mg edetate disodium, 2.5 mg sodium formaldehyde sulfoxylate, 4.0 mg diethanolamine, 207.2 mg propylene glycol; 5.0 mg phenol as preservative, hydrochloric acid, water for injection qs.

RESIDUE WARNINGS: Cattle must not be slaughtered for human consumption within 4 days of the last treatment. Milk that has been taken during treatment and for 36 hours after the last treatment must not be used for food. Not for use in dry dairy cows. A withdrawal period has not been established for this product in preruminating calves. Do not use in calves to be processed for veal. Not for use in horses intended for food. Approved only for intravenous administration in cattle. Intramuscular administration has resulted in violative residues in the edible tissues of cattle sent to slaughter.

Before using this drug, read package insert for complete product information.
Store at or below 25°C (77°F) Do not Freeze.
See In-Use Statement.

NDC 69043-055-10

Sterile

Flunine™

**(flunixin meglumine
injection)**

50 mg/mL

Only for Intravenous Use in Beef and Dairy Cattle.

Not for Use in Dry Dairy Cows and Veal Calves.

For Intravenous and Intramuscular Use in Horses.

Caution: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

Approved by FDA under ANADA # 200-781

Net Contents: 100 mL

Multiple-Dose Vial



CCC05510-00

USE WITHIN 28 DAYS OF FIRST PUNCTURE AND PUNCTURE A MAXIMUM OF 10 TIMES. WHEN USING A DRAW-OFF SPIKE, DISCARD ANY PRODUCT REMAINING IN THE VIAL IMMEDIATELY AFTER USE.

Manufactured for:
Cronus Pharma LLC,
East Brunswick, NJ 08816.
Contact No: 1-844-227-6687
(1-844-2-CRONUS)

Code: 4206162/TS/DRUGS/2023
Made in India
Revised: 04/2024



Lot:

Un Varnished area
60x50.5 mm

Exp:

