

Formalin 10%

FOR ANIMAL USE ONLY

ACTIVE INGREDIENT:

Formaldehyde.....10%

OTHER INGREDIENTS:.....90%
(Methanol 1.9% to 4.0%)

EPA Est. No. 61282-WI-01

Manufactured For:
Neogen Vet™
Neogen® Corporation
Lexington, KY 40511 USA

Code: NI.RN.

KEEP OUT OF REACH OF CHILDREN



POISON



FIRST AID

Call a poison control center or doctor immediately for treatment advice

If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
If swallowed	Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.
***For 24-hour medical emergency information on this product, call 1-800-498-5743 (U.S. & Canada) or 1-651-523-0318 (all other areas).**

Item No.: 09122
Net Contents: 1 Gallon (3.875 Liters)
UPC: 0726087 09122 (8)
Format: UPC-A
Label Code: L826-0605

Item No.: 09122
Net Contents: 4 x 1 Gallon (4 x 3.875 Liters)
UPC:
Format: Interleaved 2-of-5
Label Code: Case Label

Indications:

For use as a tissue fixative for pathologic specimens or as a preservative.

Warning:

Strong sensitizer that can cause irritation of skin, eyes, nose, and throat. Do not breathe vapour. Avoid contact with skin and clothing.

Caution:

Rinse Formalin 10% bottles with water before making them available for disposal.

Store at controlled room temperature between 15°-30°C (59°-86°F). Keep container tightly closed when not in use.

Medical 1-800-498-5743
? 1-800-621-8829