

Formalin 10%

NEOGEN Vet

Net Contents: 1 gallon (3.785 liters)

FOR ANIMAL USE ONLY

Indications:
For use as a tissue fixative for pathology specimens or as a preservative.

Warning:
Strong sensitizer that can cause irritation of skin, eyes, nose, and throat. Do not breathe vapor. Avoid contact with skin and clothing.

Caution:
Rinse Formalin 10% bottles with water before making them available for disposal.

Store at controlled room temperature between 15-30°C (59-86°F). Keep container tightly closed when not in use.



POISON



Item No. 09122

7 26087 09122 8

KEEP OUT OF REACH OF CHILDREN

Active Ingredient
Formaldehyde 10%
Other Ingredients 90%
(Methanol 1.9% to 4.0%)

First Aid:
Call a poison control center or doctor immediately for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

If swallowed: Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Neogen Corporation
Levittown, KY 40311 USA • 800/234-1321

02008