


For use in piglets only, up to 3 days of age.

Each mL contains: gentamicin sulfate, USP equivalent to 5 mg gentamicin base, 2 mg sodium bisulfite, 0.1 mg edetate disodium, 7.46 mg sodium acetate, 3 mg glacial acetic acid; 1.3 mg methylparaben and 0.2 mg propylparaben as preservatives, water for injection q.s.

Indications: Gentamicin Piglet Injection is recommended for the treatment of porcine colibacillosis caused by strains of *E. coli* sensitive to gentamicin.



TAKE TIME



OBSERVE LABEL DIRECTIONS

® Registered trademark of Agri Laboratories, Ltd.

LOT

071054

EXP

1-10

NDC 57561-638-05

GENTAMICIN PIGLET INJECTION

(GENTAMICIN SULFATE, USP)

Piglet Injection

Antibacterial

250 Doses

5mg/mL

ANADA#: 200-394 Approved by F.D.A.

NET CONTENTS: 8.5 oz (250 mL)



Dose: 1 mL per piglet, administered intramuscularly. Gentamicin Piglet Injection is not to be used more than once in each piglet.

WARNING: Piglets injected with Gentamicin Piglet Injection must not be slaughtered for food for at least 40 days following treatment.

Restricted Drug (California)--use only as directed.

Read accompanying directions carefully.

Store between 2° and 30°C (36° and 86°F)

For intramuscular use only.

ANADA#: 200-394 Approved by F.D.A.

**Manufactured for:
Agri Laboratories, Ltd.
St. Joseph, MO 64503**

G-6639-05

Iss. 10-07

OPEN
HERE

