

# IODIS

## Disinfectant-Cleaner-Sanitizer-Deodorizer

With 5% Organic Soil and 400 ppm Hard Water Tolerance  
For Hospital, Institutional, Industrial, School, Agriculture, and Dairy

### Active Ingredient:

Iodine*	1.75%
Inert Ingredients:	98.25%
Total:	100.00%

\* from Monylphenoxypoly (ethyleneoxy) ethanol-iodine complex  
EPA Reg. No. 66171-102

EPA Est. No. 66171-CA-001  
66171-TN-001  
61282-WI-001  
47000-IA-001

(First letter of batch number indicates establishment)

## KEEP OUT OF REACH OF CHILDREN DANGER

See side panels for additional Precautionary Statements

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** Corrosive. Causes eye damage and skin damage. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**PHYSICAL AND CHEMICAL HAZARDS:** Do not use, pour, spill or store near heat or open flame.



Net Contents: 1 gal. (3.78 L)

## FIRST AID

<b>If in Eyes:</b>	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center, or doctor, or <b>1-800-498-5743</b> immediately for treatment advice.</li> </ul>
<b>If on Skin or on Clothing:</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center, or doctor, or <b>1-800-498-5743</b> immediately for treatment advice.</li> </ul>
<b>If Inhaled:</b>	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>Call a poison control center, or doctor, or <b>1-800-498-5743</b> for treatment advice.</li> </ul>
<b>If Swallowed:</b>	<ul style="list-style-type: none"> <li>Call a poison control center, or doctor, or <b>1-800-498-5743</b> immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>

## HOT LINE NUMBER

**HOT LINE NUMBER:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For 24-hour emergency information on this product, call **1-800-498-5743 (US & Canada)** or **1-651-523-0318 (all other areas)**.

## NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

Concentrated broad spectrum iodophor for use as a one-step cleaner-disinfectant and no rinse sanitizer in:

- Poultry and Livestock Drinking Water
- Sanitizing Commercial Eggs
- Egg Processing Plants
- Dairy & Poultry Farms
- Meat and Poultry Plants
- Food Processing Plants

### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For disinfection, remove gross filth or heavy soil. Apply Iodis with a cloth, mop or mechanical coarse spray device. When applied with a mechanical coarse spray device, surfaces must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or more often if the solution becomes diluted or soiled.

### Disinfection: Veterinary Clinics, Fish Hatcheries, Schools, Farm Premises and Poultry Houses:

Remove gross filth or heavy soil. Apply ½ ounce Iodis per gallon of water (or equivalent use dilution) to walls, floors and other hard non-porous surfaces such as tables, chairs, countertops, tile and porcelain surfaces. Allow surfaces to remain wet for at least 10 minutes. For heavily soiled areas, a preliminary cleaning is required.

For farms and poultry use, prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and water appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After 10 minutes disinfection, ventilate buildings, coops and other closed spaces. Do not house poultry or other animals or employ equipment until treatment has been absorbed, set or dried.

### SANITIZING FOOD PROCESSING EQUIPMENT AND UTENSILS:

Remove heavy soils by flushing, scraping, or mopping. Wash with 1 ounce Iodis per gallon of water (or other good cleaner). Rinse with clean water and sanitize surfaces with 1 ounce Iodis per 5 gallons of water (or equivalent use dilution). Surface should remain in contact with solution for 1-2 minutes. Drain well and air dry. No potable water rinse is required.

### SANITIZING FOOD GRADE EGG SHELLS:

To sanitize clean shell eggs intended for food or food products, spray with a solution of 1 ounce of Iodis in 5 gallons of water (or equivalent use dilution). The solution must be equal to or warmer than the eggs, but not to exceed 130°F. Wet eggs thoroughly and allow to drain. Eggs that have been freshly washed may be sanitized with this compound only if the eggs are rinsed prior to application of the compound. A subsequent potable water rinse is not required. Eggs must be reasonably dry before casing or breaking. The solution must not be reused for sanitizing eggs.

### SANITIZING POULTRY AND LIVESTOCK DRINKING WATER:

Add 1 ounce of Iodis per 10 gallons of drinking water.

### SHOE BATH SANITIZER:

To prevent tracking harmful organisms into animal areas, scrape shoes and place in a 3 ounces Iodis per gallon of water solution (or equivalent use dilution) for 30 seconds prior to entering area.

### DEODORIZING:

Iodis destroys many odors as it sanitizes and disinfects. For general deodorant applications (garbage pails, refuse containers, etc.), swab surface to be treated with a solution containing ½ ounce Iodis per gallon of water (or equivalent use dilution). Allow treated surfaces to drain and air dry.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

### PESTICIDE STORAGE:

Store away from heat. Do not transfer to another container. Do not reuse empty container.

### PESTICIDE DISPOSAL:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

### CONTAINER HANDLING:

Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available, or offer for reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

(For 5 gallons or less) Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

**GENERAL:** Consult Federal, State or local disposal authorities for approved alternative procedures.

## CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

To the extent permitted by applicable law Manufacturer and Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Manufacturer, and Buyer and User assume the risk of any such use. To the extent permitted by applicable law, MANUFACTURER AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent permitted by applicable law, in no event shall Manufacturer or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF THE MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

For non-emergency (e.g., current product information), call: **1-800-621-8829**.



Manufactured by: Preserve International  
944 Nandino Blvd., Lexington, KY 40511 USA  
Preserve International is a wholly-owned subsidiary of Neogen Corporation.  
L5042-0317  
Code: (RE.NL.RA) NG.RT

