

**For Intramuscular Use in Swine Over 300 lbs.  
Restricted Drug - Use Only As Directed  
(California). For Use in Animals Only.**

**Dosage:** Usual daily dose for arthritis or mycoplasma pneumonia - 5 mg per pound of body weight (1 mL per each 60 pounds of body weight) intramuscularly for three to seven days. See package insert for complete product information.

**Contains per mL:** Lincomycin Hydrochloride equivalent to Lincomycin, 300 mg; also Benzyl Alcohol, 9.45 mg added as preservative.

**Store at controlled room temperature:  
20° to 25°C (68° to 77°F) [see USP].**

LOT NO.:                      EXP. DATE:

## LINCOMYCIN 300 INJECTION

**Sterile Lincomycin  
Hydrochloride Injection**

Swine Antibiotic                      300 mg/mL

**NET CONTENTS:  
100 mL**



**Indicated for the treatment of arthritis  
caused by susceptible organisms and  
for mycoplasma pneumonia.**

**Warning:** Not for human use. Keep out of reach of children. Swine intended for human consumption should not be slaughtered within 48 hours of latest treatment.

TAKE TIME



OBSERVE LABEL  
DIRECTIONS

**ANADA# 200-315, Approved by FDA**

Manufactured for:  
Aspen Veterinary Resources,<sup>®</sup> Ltd.  
Liberty, MO 64068

Manufactured by:  
Sparhawk Laboratories, Inc.  
Lenexa, KS 66215, USA

L-4636-04  
Rev. 03-10

OPEN  
HERE

