

ARTWORK/PACKAGING/PRODUCTION		
File Name:	8MAC008_Macrosyn_100mL_Lbl.ai	
Artwork Date:	September 9, 2020	Version v.1 REV 09/20
Item Size:	6.0" (w) x 1.75" (h)	
Dieline:	GF00428	
<input type="checkbox"/> CMYK	<input type="checkbox"/> Scale:	100%
<input type="checkbox"/> CMYK + SPOT	<input checked="" type="checkbox"/> Label	<input type="checkbox"/> Carton <input type="checkbox"/> Insert
<input checked="" type="checkbox"/> SPOT COLORS (Pantone)	Content Smallest Font: 4 pt	
<input type="checkbox"/> PMS Black 100%	Registration Smallest Font: 4 pt	
<input type="checkbox"/> PMS P287 C	Verified Dieline <input type="checkbox"/> Y <input type="checkbox"/> N	
<input type="checkbox"/> PMS P3945 C	Verified Batch Area <input type="checkbox"/> Y <input type="checkbox"/> N	
<input type="checkbox"/> PMS PMS	Mock-Up Approved <input type="checkbox"/> Y <input type="checkbox"/> N	
<input type="checkbox"/> ONINSERT	<input type="checkbox"/> COPY LIMIT	<input type="checkbox"/> DIELINE
<input type="checkbox"/> BLEED LIMIT	<input type="checkbox"/> ONINSERT PLACEMENT TOLERANCE	<input type="checkbox"/> NO VARNISH
	Unwind #	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input checked="" type="checkbox"/> 3 <input type="checkbox"/> 4

Tradename: 13.7 pt
 Established Name: 8.2 pt
 Left Panel running text: 6 pt
 Center Panel running text: 6 pt
 Right Panel running text: 6 pt

GF00428

6"

1.75"

See package insert for complete product information. For bovine and swine respiratory disease, infectious bovine keratoconjunctivitis, and bovine foot rot.

Cattle: Inject subcutaneously as a single dose in the neck at 2.5 mg/kg (1.1 mL/100 lb) body weight (BW). Maximum 10 mL per injection site.

Swine: Inject intramuscularly as a single dose in the neck at 2.5 mg/kg (0.25 mL/22 lb) BW. Maximum 2.5 mL per injection site.

To report suspected adverse drug events, for technical assistance, or to obtain a copy of the Safety Data Sheet (SDS), contact Bimeda, Inc. at 1-888-524-6332. For additional information about adverse drug experience reporting for animal drugs, contact FDA at 1-888-FDA-VETS or online at <http://www.fda.gov/reportanimalae>.

Lot: _____

Exp: _____

MACROSYN™
(tulathromycin injection)

Injectable Solution - Antibiotic
100 mg of tulathromycin/mL

For use in beef cattle (including suckling calves), non-lactating dairy cattle (including dairy calves), veal calves, and swine.
Not for use in female dairy cattle 20 months of age or older.

CAUTION: Federal (USA) law restricts this drug to use by or on the order of a licensed veterinarian.
Approved by FDA under ANADA# 200-657

Net Contents: 100 mL

STORAGE CONDITIONS: Store at or below 25°C (77°F). Use within 28 days of first puncture and puncture a maximum of 17 times with a needle.

WARNINGS: FOR USE IN ANIMALS ONLY. NOT FOR HUMAN USE. KEEP OUT OF REACH OF CHILDREN. NOT FOR USE IN CHICKENS OR TURKEYS.

RESIDUE WARNINGS
Cattle intended for human consumption must not be slaughtered within 18 days from the last treatment. This drug is not approved for use in female dairy cattle 20 months of age or older, including dry dairy cows. Use in these cattle may cause drug residues in milk and/or in calves born to these cows.
Swine intended for human consumption must not be slaughtered within 5 days from the last treatment.

Manufactured for: Bimeda, Inc., Le Sueur, MN 56058 - www.bimeda.com
1MAC002 8MAC008 Rev. 09/20