

MANAGE[®]

(Contains: Copper Sulfate Pentahydrate and Citric Acid)
US Patent # 5,997,911

Get into the Manage[®] Zone DIETARY AGENT FOR POULTRY and SWINE

Guaranteed Analysis.....CuSO₄.....18%

HAZARD STATEMENTS: H314 - Causes severe skin burns and eye damage

PRECAUTIONARY STATEMENTS: P260 - Do not breathe mist, spray, vapors

P264 - Wash hands thoroughly after handling

P280 - Wear eye protection, face shield, protective gloves, protective clothing

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a doctor, a poison center

P321 - Specific treatment (see first aid instructions on this label)

P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

FIRST AID: Eyes – IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do so. Get medical attention immediately. Continue rinsing. Skin – IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at least 15 minutes. Get medical attention immediately. Inhalation – IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if breathing is affected. If breathing is difficult, supply oxygen. Ingestion – IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison control center or medical professional. Get medical attention if you feel unwell.

HANDLING AND STORAGE: Do not handle until all safety precautions have been read and understood. Use appropriate personal protection equipment (PPE). Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Keep out of reach of children. Keep container tightly closed. Keep in properly labeled containers. Store in a cool dry place. Avoid temperatures over 110°F. Store in plastic, rubber or stainless steel containers.



STANDARD DOSAGE: Administer 1 part Manage in 1024 parts drinking water.

1. For injectors/proportioners set to administer 1 oz. stock solution per gallon drinking water, prepare stock solution by mixing 1 gallon Manage with 7 gallons water.

2. For tank use, mix 1 gallon Manage with 1,000 gallons water.

OPTIMUM DOSAGE: Administer 1 part Manage in 512 parts drinking water.

1. For injectors/proportioners set to administer 1 oz. stock solution per gallon drinking water, prepare stock solution by mixing 1 gallon Manage with 3 gallons water.

2. For tank use, mix 1 gallon Manage with 500 gallons water.

FOR ORAL ANIMAL USE ONLY • KEEP OUT OF REACH OF CHILDREN

Manufactured by

Best Veterinary Solutions, Inc., Willmar, MN 56201

Best Veterinary Solutions, the Solution Company!

Net Wt. / 9.5 lb per gal

Product No. BVS-N-100300

Contents: 4 x 1 gal

MANAGE[®]

(Contains: Copper Sulfate Pentahydrate and Citric Acid)
US Patent # 5,997,911

Get into the Manage[®] Zone DIETARY AGENT FOR POULTRY and SWINE

Guaranteed Analysis.....CuSO₄.....18%

HAZARD STATEMENTS: H314 - Causes severe skin burns and eye damage

PRECAUTIONARY STATEMENTS: P260 - Do not breathe mist, spray, vapors

P264 - Wash hands thoroughly after handling

P280 - Wear eye protection, face shield, protective gloves, protective clothing

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a doctor, a poison center

P321 - Specific treatment (see first aid instructions on this label)

P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

FIRST AID: Eyes – IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do so. Get medical attention immediately. Continue rinsing. Skin – IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at least 15 minutes. Get medical attention immediately. Inhalation – IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if breathing is affected. If breathing is difficult, supply oxygen. Ingestion – IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison control center or medical professional. Get medical attention if you feel unwell.

HANDLING AND STORAGE: Do not handle until all safety precautions have been read and understood. Use appropriate personal protection equipment (PPE). Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Keep out of reach of children. Keep container tightly closed. Keep in properly labeled containers. Store in a cool dry place. Avoid temperatures over 110°F. Store in plastic, rubber or stainless steel containers.

STANDARD DOSAGE: Administer 1 part Manage in 1024 parts drinking water.

1. For injectors/proportioners set to administer 1 oz. stock solution per gallon drinking water, prepare stock solution by mixing 1 gallon Manage with 7 gallons water.
2. For tank use, mix 1 gallon Manage with 1,000 gallons water.

OPTIMUM DOSAGE: Administer 1 part Manage in 512 parts drinking water.

1. For injectors/proportioners set to administer 1 oz. stock solution per gallon drinking water, prepare stock solution by mixing 1 gallon Manage with 3 gallons water.
2. For tank use, mix 1 gallon Manage with 500 gallons water.



FOR ORAL ANIMAL USE ONLY • KEEP OUT OF REACH OF CHILDREN

Manufactured by

Best Veterinary Solutions, Inc., Willmar, MN 56201

Best Veterinary Solutions, the Solution Company!

Net Wt. / 9.5 lb per gal

Product No. BVS-N-100320

Contents: 55 gallons