



Mecadox[®] 10 (carbadox)

TYPE A
MEDICATED ARTICLE

Complete Swine Feed
Mixing and Use Directions



Indications for Use	Amount of Drug	lb of Mecadox [®] 10 per ton of Complete Feed
Increased rate of weight gain and improved feed efficiency	0.0011-0.00275% (10-25 g/ton)	1.0-2.5 lb
Control of swine dysentery (vibronic dysentery, bloody scours or hemorrhagic dysentery); control of bacterial swine enteritis (salmonellosis or necrotic enteritis caused by <i>Salmonella choleraesuis</i>); increased rate of weight gain and improved feed efficiency.	0.0055% (50 g/ton)	5.0 lb

Protein Supplement
Mixing and Use Directions

Amount of Supplement per Ton of Complete Feed (lb)	lb of Mecadox [®] 10 per Ton of Protein Supplement		
	Desired Level of Mecadox [®] in Complete Feed		
	0.0055% (50 g/ton)	0.00275% (25 g/ton)	0.0011% (10 g/ton)
1000	10	5	2
667	15	7	3
500	20	10	4
250	40	20	8
100	100	50	20
75	133	67	27
50	200	100	40
40	250	125	50
20	500	250	100

Warning: Do not feed to swine within 42 days before slaughter.

Caution: Not for use in pregnant swine or swine intended for breeding purposes. Do not mix in feeds containing bentonite.

NOT FOR HUMAN USE
RESTRICTED DRUG (CALIFORNIA) – USE ONLY AS DIRECTED

PRODUCT OF CANADA
Distributed by:


Phibro
Animal Health Corporation
Teaneck, NJ 07666

7913000
101-9006-08

(carbadox)
Mecadox[®] 10



E-Z OPEN PULL STRING



Mecadox[®] 10 (carbadox)

TYPE A
MEDICATED ARTICLE

Active Drug Ingredient:

Carbadox 2.2% (10 g/lb)

Indications for Use: Control of swine dysentery (vibronic dysentery, bloody scours or hemorrhagic dysentery); control of bacterial swine enteritis (salmonellosis or necrotic enteritis caused by *Salmonella choleraesuis*); increased rate of weight gain and improved feed efficiency in swine.

WARNING: For use in the manufacture of complete swine feeds and/or swine protein supplement feeds only.

CAUTION: Certain components of animal feeds, including medicated premixes, possess properties that may be a potential health hazard or a source of personal discomfort to certain individuals who are exposed to them. Human exposure should, therefore, be minimized by observing the general industry standards for occupational health and safety.

Precautions such as the following should be considered: dust masks or respirators and protective clothing should be worn; dust-arresting equipment and adequate ventilation should be utilized; personal hygiene should be observed; wash before eating or leaving a work site; be alert for signs of allergic reactions—seek prompt medical treatment if such reactions are suspected.

See Back PANEL for Further Use Directions

Store At Or Below 25°C (77°F), Excursions Permitted Up To 40°C (104°F)

Mecadox[®] is a Phibro Animal Health Corporation registered trademark for Carbadox
Phibro Animal Health Corporation, Teaneck, NJ 07666.

Net Weight 40 lb (18.2 kg)



7913000
101-9006-08
NADA #41-061, Approved by FDA



Mecadox[®] 10
(carbadox)

