



This product contains a source of phytase. Phytase increases the digestibility of phytin-bound phosphorus in poultry and swine rations.

GUARANTEED ANALYSIS*

Phytase Activity (*Pichia pastoris*).....2,500 FTU/g* *

*Activity determined by the Phytex assay method

**One unit of phytase (FTU) from *Pichia pastoris* is equal to the amount of enzyme catalyzing the release of 1.0 micromole/minute of phosphorus from an excess of sodium phytate substrate at pH 5.5 and 37°C (98.6°F).

INGREDIENTS

Concentrated *Pichia pastoris* fermentation broth, sorbitol, sodium benzoate.

RECOMMENDED APPLICATION RATE

Apply to finished feed at the following rates:

Species	Grams/ton	Lb./ton	FTU/ton of Feed
Layer	108.8-180.8	0.24-0.40	272,000-452,000
Broiler	72.8-362.4	0.16-0.80	182,000-906,000
Turkey	72.8-362.4	0.16-0.80	182,000-906,000
Swine	145.6-362.4	0.32-0.80	364,000-906,000

STORAGE OF PRODUCT

UNOPENED PRODUCT: Store in a cool place at temperatures below 15°C (59°F); use within 5 months from the date of manufacture. Refer to container for lot number and best use by date.

OPENED PRODUCT: Use contents within a short time after opening.

WARNING:

May cause eye, skin and respiratory irritation. Inhalation may cause allergic reaction in sensitized individuals.

HANDLING PRECAUTIONS: As with all sprayed liquids, a dust mask should be worn to avoid inhalation when handling or applying this product. It is recommended that the mixing areas be well ventilated. Wash before eating or leaving the work area.

EMPTY CONTAINERS: Dispose in a licensed facility. Recommend crushing or other means to prevent unauthorized reuse.

MANUFACTURED FOR:

Huvepharma, Inc.
525 Westpark Drive, Suite 230
Peachtree City, GA 30269
Tel: 877-994-4883

Lot :

Best Use By Date:

