

A proprietary blend
– including Lactic Acid,
Propionic Acid, and Caprylic
Acids Copper Proteinate,
Natural and Artificial

FOR USE:

For Feed Withdrawl

Directions:

Product at the rate of
one gallon (1:128 dilution).

Directions:

For 3 to 7
days, administer for 3 to
7 days. Mix one quart to a two
quart and meter at the rate
of one gallon (1:128 dilution).

BY: PACIFIC VET GROUP USA, INC.
Fayetteville, Arkansas, USA 72704
Pacific Vet Group USA, Inc.



Optimizer™

Water Acidifier and Nutritional Supplement for Poultry

MANUFACTURED UNDER EXCLUSIVE
LICENSE FROM THE UNIVERSITY OF ARKANSAS

NET VOLUME: 1 GALLON

CAUTION: Do not mix with chlorine bleach.
Consult MSDS and follow label directions.

KEEP OUT OF THE REACH OF CHILDREN.

**WEAR GOGGLES OR FULL FACE
SHIELD WHEN HANDLING.**

PRECAUTIONARY STATEMENTS:

INHALATION – MOVE TO FRESH AIR

EYE CONTACT – FLUSH EYES WITH
WATER, CONSULT PHYSICIAN.

Corrosive Liquids, Acidic, Organic, N.O.S., (Acetic Acid,
Lactic Acid, Propionic Acid), Class 8, PGIII, UN 3265,
Limited Quantity

Manufactured By:
Paragon Specialty Products, LLC.
411 Ranch Road, Rainsville, AL 35986
256-638-9636

Organic Acid Blend

Signal Word: **Danger**



Hazard Statements – Causes severe skin burns and eye damage

Precautionary Statements: Prevention:

Do not breathe mist, vapours, spray
Wash exposed skin thoroughly after handling
Wear protective gloves, eye protection

IF SWALLOWED: Rinse mouth.

Do NOT induce vomiting

IF ON SKIN (or hair): Remove/Take off immediately
all contaminated clothing. Rinse skin with water/shower/
wash clothes

IF INHALED: Remove victim to fresh air and keep at
rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water
for several minutes. Remove contact lenses, if present
and easy to do. Continue rinsing.

Dispose of contents/container to comply with local,
state and federal regulations.