

# PI QUAT 20

## CLEANER · DISINFECTANT · SANITIZER FUNGICIDE · VIRUCIDE\*

With Organic Soil for Equine, Poultry/Turkey Farms

### ACTIVE INGREDIENTS:

Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
Dimethyl Benzyl Ammonium Chloride.....	10.0%
Alkyl (68% C12, 32% C14)	
Dimethyl Ethylbenzyl Ammonium Chloride.....	10.0%

OTHER INGREDIENTS:.....80.0%

TOTAL:.....100.0%

EPA Reg. No. 10324-94-66171 ■ EPA Est. No. 66171-CA-1 (C) ■ EPA Est. No. 66171-TN-1 (M)

## KEEP OUT OF REACH OF CHILDREN DANGER

See side panel for additional precautionary statements.

### FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

For chemical emergencies, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas), 24 hours a day, 7 days a week.

Manufactured for: Preserve International<sup>®</sup>  
944 Nandino Blvd., Lexington, KY 40511 U.S.A.

Net Contents: 4 x 1 Gallon (Total: 4 Gallons)



### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER.** Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, chemical-resistant gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, oysters, and shrimp.

This product contains no phosphorus. This product is a versatile disinfectant and sanitizer for veterinarian, veterinary practice, animal care, animal laboratory, and farm premise applications. This product can be applied through foaming apparatus and low-pressure sprayer systems. Follow manufacturers' instructions when using this equipment. For use in poultry premises (hatcheries); egg receiving area, egg holding area, setter room, tray dumping area, chick holding area, hatchery room, chick processing area, chick loading area, and poultry buildings. This product is for use on hatchers, setters, trays, racks, egg flats, chick boxes, egg cases, vans and trash containers, seed houses, poultry/turkey equipment, carts, sexing tables, and automated tray, rack and buggy washers, and other hard, non-porous surfaces.

See outer container for additional directions for use and organisms.

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Before using this product in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected.

### ANIMAL PREMISES

Prior to use of this product, remove all animals, poultry and feeds from premises, animal transportation vehicles, and enclosures, coops, crates. Remove all litter, droppings, and manure from floors, walls, and surfaces of barns, pens, stalls, chutes and other surfaces of facilities and fixtures occupied or traversed by poultry or other animals. Empty all troughs, racks, and other feeding and watering appliances. Thoroughly clean surfaces with soap or detergent and rinse with water.

**FOR USE AS AN ANIMAL PREMISE DISINFECTANT/VIRUCIDE\*:** Prepare a use solution of 1 oz. of this product per gal. of water (or equivalent use dilution). Apply use solution to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mops, by immersion, mechanical spray device, hand pump trigger spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Immerse all halters and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure in the use solution. Treated surfaces must remain visibly wet for 10 minutes. Ventilate buildings, coops, and other closed spaces. Do not house animals, poultry, livestock or employ equipment until treatment has set or dried. Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains, waterers, and other treated equipment which can contact food or water with soap or detergent, and rinse with potable water before reuse.

**HATCHERIES:** Use to treat hatchers, setters, trays, racks, carts, sexing tables, delivery trucks, and other hard, non-porous surfaces. Use 1 oz. of this product per gal. of water (or equivalent use dilution). Leave all treated surfaces visibly wet for 10 minutes or more. Allow to air dry.

**VEHICLES:** To clean hard, non-porous surfaces on vehicles including mats, crates, cabs, and wheels, use 1 oz. of this product per gal. of water (or equivalent use dilution). Apply use solution to hard, non-porous surfaces on vehicles. Leave treated surfaces visibly wet for 10 minutes. Allow to air dry.

**TO KILL FUNGI:** Pre-clean visibly soiled surfaces. Prepare use solution by adding 1 oz. of this product per gal. of water. Apply use solution to hard, non-porous surfaces. Allow surface to remain visibly wet for 10 minutes. Wipe surfaces.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING:** Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

### WARRANTY STATEMENT

To the extent permitted by applicable law, Preserve International<sup>®</sup> and Neogen<sup>®</sup> Corporation make no warranty concerning uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label. To the extent permitted by applicable law, Preserve International<sup>®</sup> and Neogen<sup>®</sup> Corporation shall not be liable for (1) any consequential, incidental or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.



Preserve International<sup>®</sup> is a wholly-owned subsidiary of Neogen<sup>®</sup> Corporation  
L4757-0224\_Case

J-21

Item No. 403290/1



10789703000148