

BVS POULT START

ACTIVE INGREDIENTS: This product contains potassium chloride, Sodium Chloride, Niacinamide, Alpha Tocopheryl Acetate (source of Vitamin E), Sodium Citrate, d-Calcium Pantothenic Acid, Ascorbic Acid, Vitamin A supplement, d-Activated Animal Sterol (Source of Vitamin D3), Menadione Sodium Bisulfate Complex (Source of Vitamin K), Riboflavin, Citric Acid, Biotin Supplement, Vitamin B12 supplement, Pyridoxine hydrochloride, Thiamine Hydrochloride, Magnesium sulfate, Folic Acid, Ferrous sulfate, Copper sulfate, Zinc Sulfate, Manganese Sulfate, Cobalt sulfate, Potassium sulfate, Magnesium carbonate, Ethylenediamine dihydriodide.

GUARANTEED ANALYSIS DESCRIPTION:	PER POUND
Vitamin A.....	4,500,000 IU
Vitamin D3.....	3,000,000 IU
Vitamin E.....	15,000 IU
Vitamin B-12.....	10 mg
Biotin.....	50 mg
Riboflavin.....	3,000 mg
Niacin.....	30,000 mg
Vitamin K (MSBC).....	4,000 mg
Folic Acid.....	420 mg
Thiamine Hydrochloride.....	2,000 mg
Pyridoxine.....	2,000 mg
Ascorbic Acid.....	10,000 mg
d-Pantothenic Acid.....	12,500 mg



DANGER

(Contains: Potassium chloride, Sodium chloride, 3-Pyridenecarboxylic acid, .alpha.-D-Glucopyranose, 4-O-.beta.-D-galactopyranosyl-, monohydrate, Retinol, acetate, 2-Naphthalenesulfonic acid, 1,2,3,4-tetrahydro-2-methyl-1,4-dioxo-,sodium salt, Sodium metabisulfite, Carbohydrates and adsorbents, Gelatin, Cholecalciferol, Glycerol 1-monostearate). Causes serious eye damage. May cause respiratory irritation. May damage fertility. May damage the unborn child. May cause an allergic skin reaction. Causes damage to organs through prolonged or repeated exposure.

HAZARD STATEMENTS: May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure

PRECAUTIONARY STATEMENTS: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash clothing, hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear eye protection, protective clothing, protective gloves. If on skin: Wash with plenty of soap and water. If inhaled: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a doctor if you feel unwell. Get medical advice/attention if you feel unwell. Specific treatment (see first aid instructions on this label). If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

FIRST AID: Eyes – IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do so. If pain, blinking, or irritation develops or persists, get medical attention. Continue rinsing. **Skin** – IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at least 15 minutes. If irritation develops or persists, get medical attention. **Inhalation** – IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if breathing is affected. If breathing is difficult, supply oxygen. **Ingestion** – IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison control center or medical professional. Get medical attention if you feel unwell.

HANDLING AND STORAGE: Do not handle until all safety precautions have been read and understood. Use appropriate personal protection equipment (PPE). Keep away from sources of ignition - No smoking. Provide appropriate exhaust ventilation at places of dust forming. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not breathe dust. Keep the container tightly closed. Store in a dry, cool and well-ventilated place. Avoid elevated temperatures. Protect from moisture. Store away from light.

REFER TO SDS FOR MORE INFORMATION

Indications For Use: For use as a vitamin supplement for starting poultts via drinking water during periods of reduced feed intake, times of flushing, and other periods of stress.

Directions For Use: Mix the contents of a 4 ounce pack with 128 gallons of drinking water OR mix one 4 ounce pack into 1 gallon of stock solution. When using proportioners, set to deliver 1 ounce of stock solution per gallon of water - 1:128.

Store in a cool, dry place - For oral animal use only - Not for human consumption - Keep out of reach of children

NET WEIGHT 50/4 oz (113.5gm)

MANUFACTURED BY:

BEST VETERINARY SOLUTIONS, INC.

1716 DETROIT ST.

ELLSWORTH, IA 50075

Last Revision of Label: 11/16