

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing before reuse. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

PHYSICAL AND CHEMICAL HAZARDS

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperature above 130°F may cause bursting. Never throw container into incinerator.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Following application as a spray, do not enter or allow others to enter the treated area until sprays have dried. Do not apply in a way that will contact workers or any other persons, either directly or through drift. Only protected handlers may be in the area during the application.

General and Tuberculosis Disinfection, Elimination of Fungi and Viruses*: Spray hard, non-porous environmental surfaces from any angle, even upside down, from a distance of 6-8 inches for 2-3 seconds or until surface is thoroughly wet. Allow surfaces to remain wet for 10 minutes or allow to air dry without wiping or rinsing. Gross filth or heavy soils must be removed before disinfection.

To Deodorize and Refresh the Air: Direct spray upward toward the center of the room for 3-5 seconds.

***KILLS HIV-1 (AIDS VIRUS) ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in healthcare settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surface/object likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (HUMAN IMMUNODEFICIENCY VIRUS OR AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

Personal Protection: Wear appropriate barrier protection such as latex gloves, gowns, masks, or eye coverings.

Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application. Apply solution as directed in paragraph above.

Contact Time: While the HIV-1 virus is inactivated in 1 minute, use a 10-minute contact time for disinfection of all organisms on this label.

Infectious Material Disposal: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious disposal.

6389-71M(110) 61810

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

Staphene Disinfectant Spray and Deodorizer is an aerosol-dispensed, spot disinfectant, and deodorant for schools; medical, dental and business offices; homes; sick rooms; nursing homes and general hospital use.

- Bedside and office furniture
- Telephones
- Sinks
- Waste cans and laundry hampers
- Trash carts

Germicidal: Passes A.O.A.C. Germicidal Spray Products Test (Staphylococcus aureus, Salmonella choleraesuis, Pseudomonas aeruginosa) in the presence of 5% blood serum, 10 minutes at 20°C.

Tuberculocidal: Passes A.O.A.C. Germicidal Spray Products Test (Mycobacterium tuberculosis var. bovis) in the presence of 5% blood serum, 10 minutes at room temperature (25°C / 77°F) on hard inanimate surfaces. Gross filth or heavy soils must be removed before disinfection.

Fungicidal: Passes A.O.A.C. Germicidal Spray Products Test (Trichophyton mentagrophytes) in the presence of 5% blood serum, 10 minutes at 20°C.

***Virucidal:** Passes virucidal assay (EPA Proposed Method) [Influenza A, Herpes simplex Type 2, Rhinovirus Type 1A] in the presence of 5% blood serum, 10 minutes at 20°C on hard inanimate surfaces.

When tested by an EPA-approved Dilution Method, the HIV-1 (AIDS) virus, with added 10% organic soil (serum), was completely inactivated in 60 seconds at 20-25°C. Although efficacy at 1-minute contact time has been shown to be adequate against HIV-1, this time would not be sufficient for other organisms. Use a 10-minute contact time for disinfection against all of the organisms claimed.

Kills Pandemic 2009 H1N1 Influenza A virus formerly called swine flu.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not use or store near heat or open flame. Open dumping is prohibited.

CONTAINER DISPOSAL: Nonrefillable container. Do not use or refill this container. Offer for recycling if available. Wrap container and put in trash.

STERIS Corporation
7501 Page Avenue
St. Louis, MO 63133 ■ USA
800-548-4873
www.steris.com

Product Made in U.S.A.

STERIS®



Staphene®

Disinfectant Spray & Deodorizer

Reorder Number: **6389-Y3** Net Weight: **16 oz. (1 lb.) 453g**

**Germicidal • Tuberculocidal • Air Deodorizer
Fungicidal • Virucidal***

ACTIVE INGREDIENTS:

o-benzyl-p-chlorophenol	0.077%
p-tertiary amylphenol.....	0.074%
o-phenylphenol	0.041%
N-alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethylbenzyl ammonium chlorides.....	0.042%
N-alkyl (50% C ₁₂ , 30% C ₁₄ , 17% C ₁₆ , 3% C ₁₈) dimethyl ethylbenzyl ammonium chlorides	0.042%
ethanol	53.096%
INERT INGREDIENTS	46.628%
TOTAL.....	100.000%

EPA Reg. No. 1043-19

EPA Est. No. 33915-MI-001 ☒

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID	
If inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.
If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye.• Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none">• Call poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage.	



LMC18909A

See right side panel for additional precautionary statements.