

760307 TDM OMEGA VTM PREMIX**NP30576025**

Version 1.0

Revision Date 08/28/2025

Date of last issue: -

SECTION 1. IDENTIFICATION

Product name : 760307 TDM OMEGA VTM PREMIX

Manufacturer or supplier's details

Company name of supplier : DSM Nutritional Products LLC

Address : 250 Plainsboro Road
Plainsboro NJ 08536

Telephone : (609) 452-1000

Emergency telephone number : 1-800-424-9300 (24 HR CHEMTREC, CA & US); Outside CA & US +1-703-572-3887 (COLLECT CALLS ACCEPTED)

E-mail address of person responsible for the SDS : sds.nutritionalproducts@dsm.com

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Combustible dust

GHS label elements

Signal word : Warning

Hazard statements : May form combustible dust concentrations in air.

Other hazards

Risk of dust explosion.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Brief description of the product : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
iron sulphate monohydrate	17375-41-6	>= 5 - <= 10
zinc oxide	1314-13-2	>= 3 - <= 7
manganese oxide	1344-43-0	>= 0.5 - <= 1.5
3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate	7695-91-2	>= 0.5 - <= 1.5
nicotinic acid	59-67-6	>= 0.5 - <= 1.5
silicon dioxide, amorphous	112926-00-8	>= 0.5 - <= 1.5
dicopper chloride trihydroxide	1332-65-6	>= 0.1 - <= 1

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : Move to fresh air.

760307 TDM OMEGA VTM PREMIX**NP30576025**

Version 1.0

Revision Date 08/28/2025

Date of last issue: -

- Consult a physician after significant exposure.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
If symptoms persist, call a physician.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Rinse mouth with water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : None known.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water
Foam
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Consider dust explosion hazard.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Avoid dust formation.
- Environmental precautions : Do not flush into surface water or sanitary sewer system.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.
Take precautionary measures against static discharges.
- Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Store at room temperature.

Keep container tightly closed and dry.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
iron sulphate monohydrate	17375-41-6	TWA	1 mg/m ³ (Iron)	ACGIH
		TWA	1 mg/m ³ (Iron)	OSHA P0
		TWA	1 mg/m ³ (Iron)	NIOSH REL
zinc oxide	1314-13-2	TWA (Dust)	5 mg/m ³	NIOSH REL
		C (Dust)	15 mg/m ³	NIOSH REL
manganese oxide	1344-43-0	C	5 mg/m ³ (Manganese)	OSHA Z-1
		TWA (Inhalable particulate matter)	0.1 mg/m ³ (Manganese)	ACGIH
		TWA (Respirable particulate matter)	0.02 mg/m ³ (Manganese)	ACGIH
		C	5 mg/m ³ (Manganese)	OSHA P0
		TWA	1 mg/m ³ (Manganese)	NIOSH REL
		ST	3 mg/m ³ (Manganese)	NIOSH REL
3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate	7695-91-2	TWA	8 mg/m ³	DSM Internal Limit
nicotinic acid	59-67-6	TWA	0.28 mg/m ³	DSM Internal Limit
silicon dioxide, amorphous	112926-00-8	TWA	6 mg/m ³	OSHA P0
		TWA (Dust)	80 mg/m ³ / %SiO ₂ (Silica)	OSHA Z-3
		TWA	6 mg/m ³ (Silica)	NIOSH REL
dicopper chloride trihydroxide	1332-65-6	TWA	1 mg/m ³ (Copper)	NIOSH REL

Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.
In case of high dust concentration use a dust mask applicable to local conditions.

760307 TDM OMEGA VTM PREMIX**NP30576025**

Version 1.0

Revision Date 08/28/2025

Date of last issue: -

Hand protection Remarks	:	Consider the hazard characteristics of this product and any special workplace conditions when selecting the appropriate type of protective gloves. Glove material: for example nitrile rubber
Eye protection	:	Safety glasses with side-shields
Skin and body protection	:	Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Appearance	:	powder
Odour	:	No information available.
Odour Threshold	:	No information available.
pH	:	No data available
Melting point/ range	:	Not applicable
Boiling point/boiling range	:	Not applicable
Flash point	:	Not applicable
Flammability (solid, gas)	:	May form combustible dust concentrations in air.
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Density	:	not determined
Water solubility	:	not determined
Partition coefficient: n-octanol/water	:	Not applicable
Self-ignition	:	No data available
Decomposition temperature	:	No data available

Other information

Explosive properties	:	No data available
Oxidizing properties	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazards to be specially mentioned.
Chemical stability	:	Stable under recommended storage conditions.
Possibility of hazardous reactions	:	Dust may form explosive mixture in air.
Conditions to avoid	:	Heat

760307 TDM OMEGA VTM PREMIX**NP30576025**

Version 1.0

Revision Date 08/28/2025

Date of last issue: -

- Incompatible materials : Strong acids and strong bases
Strong oxidizing agents
- Hazardous decomposition products : No decomposition if used as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

- Acute oral toxicity : Acute toxicity estimate : 3,407 mg/kg
(Calculation method)
- Acute inhalation toxicity
dicopper chloride trihydroxide : LC50 (Rat, 4 h): 2.83 mg/l
(OECD Test Guideline 403)
- Acute dermal toxicity
dicopper chloride trihydroxide : LD50 (Rabbit): > 2,000 mg/kg
(OECD Test Guideline 402)
- Skin irritation : Prolonged skin contact may cause skin irritation.
- Eye irritation : Dust contact with the eyes can lead to mechanical irritation.
- Carcinogenicity
IARC : No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- OSHA : No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- NTP : No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- STOT - single exposure (Acute exposure) : The substance or mixture is not classified as specific target organ toxicant, single exposure.
- Aspiration toxicity : No aspiration toxicity classification

Experience with human exposure**Components:****iron sulphate monohydrate:**

- Ingestion : Acute overdose produces the following symptoms:
Stomach/intestinal disorders, Liver disorders

manganese oxide:

760307 TDM OMEGA VTM PREMIX**NP30576025**

Version 1.0

Revision Date 08/28/2025

Date of last issue: -

General Information : Overexposure may provoke the following symptoms:
Disorders of the central nervous system

SECTION 12. ECOLOGICAL INFORMATION**Toxicity**

Toxicity to fish

zinc oxide : Oncorhynchus mykiss (rainbow trout)
LC50 (96 h) \geq 0.2 mg/l
publicly available data

Toxicity to daphnia and other aquatic invertebrates

dicopper chloride trihydroxide : Crustaceans
EC50 (48 h) ca. 0.03 mg/l

Toxicity to fish (Chronic toxicity)

3,4-dihydro-2,5,7,8- : Oncorhynchus mykiss (rainbow trout)
tetramethyl-2-(4,8,12-
trimethyltridecyl)-2H-
benzopyran-6-yl acetate NOEC (28 d) 100 mg/l
(nominal concentration)
(OECD Test Guideline 215)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

zinc oxide : Daphnia magna (Water flea)
NOEC (21 d) 0.058 mg/l
publicly available data
(OECD Test Guideline 211)

dicopper chloride trihydroxide : Daphnia magna (Water flea)
NOEC (42 d) 0.008 mg/l

No data is available on the product itself.

Persistence and degradability

No data is available on the product itself.

Bioaccumulative potential

Bioaccumulation : No data available

Partition coefficient: n-
octanol/water : Not applicable

Mobility in soil

Distribution among environ- : No data available
mental compartments

Other adverse effects**Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-
tection of Stratospheric Ozone - CAA Section 602 Class I

760307 TDM OMEGA VTM PREMIX**NP30576025**

Version 1.0

Revision Date 08/28/2025

Date of last issue: -

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

- Waste from residues : Discharge into the environment must be avoided.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Offer surplus and non-recyclable solutions to a licensed disposal company.
- User must determine if any wastes generated exhibit hazardous characteristics as per 40 CFR Part 261 or other national / local legislation.
- Contaminated packaging : Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

- UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(zinc oxide, dicopper chloride trihydroxide)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

- UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(zinc oxide, dicopper chloride trihydroxide)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

- UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

760307 TDM OMEGA VTM PREMIX**NP30576025**

Version 1.0

Revision Date 08/28/2025

Date of last issue: -

(zinc oxide, dicopper chloride trihydroxide)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**49 CFR**

UN/ID/NA number : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(zinc oxide, dicopper chloride trihydroxide)

Class : 9
Packing group : III
Labels : CLASS 9
ERG Code : 171
Marine pollutant : yes(zinc oxide, dicopper chloride trihydroxide)
Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

Remarks : 49CFR: not regulated as a dangerous good in non-bulk packaging

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

zinc oxide	1314-13-2	>= 1 - < 5 %
manganese oxide	1344-43-0	>= 1 - < 5 %

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

760307 TDM OMEGA VTM PREMIX**NP30576025**

Version 1.0

Revision Date 08/28/2025

Date of last issue: -

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

manganese oxide 1344-43-0 >= 1 - < 5 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

sodium selenite 10102-18-8 >= 0 - < 0.1 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations**Massachusetts Right To Know**

silicon dioxide, amorphous	112926-00-8
quartz (SiO ₂)	14808-60-7
sodium selenite	10102-18-8

Pennsylvania Right To Know

rice hulls / rice flour	Not Assigned
calcium carbonate	471-34-1
iron sulphate monohydrate	17375-41-6
zinc oxide	1314-13-2
silicon dioxide, amorphous	112926-00-8
sodium sulphate	7757-82-6
sodium selenite	10102-18-8

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California List of Hazardous Substances

zinc oxide	1314-13-2
------------	-----------

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.
	rice hulls / rice flour
	iron sulphate monohydrate

760307 TDM OMEGA VTM PREMIX**NP30576025**

Version 1.0

Revision Date 08/28/2025

Date of last issue: -

Menadione sodium bisulfite trihydrate

6-phytase


dolomite

ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION**Further information****NFPA 704:****HMIS® IV:**

HEALTH	/	1
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration asso-

760307 TDM OMEGA VTM PREMIX**NP30576025**

Version 1.0

Revision Date 08/28/2025

Date of last issue: -

ciated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

ACGIH = American Conference of Governmental Industrial Hygienists. CFR = Code of Federal Regulations. EPA = Environmental Protection Agency. NIOSH = National Institute of Occupational Safety and Health. OSHA = Occupational Safety and Health Administration. STEL = Short term exposure limit. TLV = Threshold Limit Value. TLV-C = Ceiling Limit Value. TWA = Time Weighted Average.

Revision Date : 08/28/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN