

Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
5.1	09/13/2019	1308645-00008	Date of first issue: 02/21/2017

SECTION 1. IDENTIFICATION

Product name : Flunixin Injection Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 2000 Galloping Hill Road
Kenilworth - New Jersey - U.S.A. 07033
Telephone : 908-740-4000
Telefax : 908-735-1496
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 3
Serious eye damage : Category 1
Reproductive toxicity : Category 2
Specific target organ toxicity : Category 1 (Gastrointestinal tract, Kidney, Blood)
- repeated exposure

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.
H318 Causes serious eye damage.
H331 Toxic if inhaled.
H361d Suspected of damaging the unborn child.
H372 Causes damage to organs (Gastrointestinal tract, Kidney, Blood) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
5.1	09/13/2019	1308645-00008	Date of first issue: 02/21/2017

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Propylene glycol	57-55-6	>= 20 - < 30
1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	42461-84-7	>= 5 - < 10
Phenol	108-95-2	>= 0.1 - < 1
2,2'-Iminodiethanol	111-42-2	>= 0.1 - < 1
Sodium hydroxymethanesulphinate	6035-47-8	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water.

Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
5.1	09/13/2019	1308645-00008	Date of first issue: 02/21/2017

		Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	Harmful if swallowed. Causes serious eye damage. Toxic if inhaled. Suspected of damaging the unborn child. Causes damage to organs through prolonged or repeated exposure.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Fluorine compounds Nitrogen oxides (NO _x)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or

Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
5.1	09/13/2019	1308645-00008	Date of first issue: 02/21/2017

oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not breathe vapors or spray mist.
Do not swallow.
Do not get in eyes.
Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis

Flunixin Injection Formulation

Version 5.1 Revision Date: 09/13/2019 SDS Number: 1308645-00008 Date of last issue: 04/24/2019
 Date of first issue: 02/21/2017

Propylene glycol	57-55-6	TWA	10 mg/m ³	US WEEL
1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	42461-84-7	TWA	40 µg/m ³ (OEB 3)	Internal
		Wipe limit	400 µg/100 cm ²	Internal
Phenol	108-95-2	TWA	5 ppm	ACGIH
		TWA	5 ppm 19 mg/m ³	NIOSH REL
		C	15.6 ppm 60 mg/m ³	NIOSH REL
		TWA	5 ppm 19 mg/m ³	OSHA Z-1
2,2'-Iminodiethanol	111-42-2	TWA (Inhalable fraction and vapor)	1 mg/m ³	ACGIH
		TWA	3 ppm 15 mg/m ³	NIOSH REL

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Phenol	108-95-2	Phenol	Urine	End of shift (As soon as possible after exposure ceases)	250 mg/g Creatinine	ACGIH BEI

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
 Minimize open handling.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
5.1	09/13/2019	1308645-00008	Date of first issue: 02/21/2017

Hand protection	circumstance where air purifying respirators may not provide adequate protection.
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: clear
Odor	: No data available
Odor Threshold	: No data available
pH	: 7.8 - 9.0
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available

Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
5.1	09/13/2019	1308645-00008	Date of first issue: 02/21/2017

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
5.1	09/13/2019	1308645-00008	Date of first issue: 02/21/2017

Toxic if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate: 604.68 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 0.5964 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:**Propylene glycol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): > 159 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Acute oral toxicity : LD50 (Rat): 53 - 157 mg/kg

LD50 (Mouse): 176 - 249 mg/kg

LD50 (Guinea pig): 488.3 mg/kg

LD50 (Monkey): 300 mg/kg

Acute inhalation toxicity : LC50 (Rat): < 0.52 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute toxicity (other routes of administration) : LD50 (Rat): 59.4 - 185.3 mg/kg
Application Route: Intraperitoneal

LD50 (Mouse): 164 - 363 mg/kg
Application Route: Intraperitoneal

Phenol:

Acute oral toxicity : LD50 (Rat): 650 mg/kg
Method: OECD Test Guideline 401

Acute toxicity estimate (Humans): 140 - 290 mg/kg
Method: Expert judgment

Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
5.1	09/13/2019	1308645-00008	Date of first issue: 02/21/2017

Acute inhalation toxicity : LC0 (Rat): 0.9 mg/l
Exposure time: 8 h
Test atmosphere: dust/mist
Assessment: Corrosive to the respiratory tract.

Acute toxicity estimate (Humans): > 0.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Expert judgment

Acute dermal toxicity : LD50 (Rabbit): 660 mg/kg
Method: OECD Test Guideline 402

Acute toxicity estimate (Humans): 300 mg/kg
Method: Expert judgment

2,2'-Iminodiethanol:

Acute oral toxicity : LD50 (Rat): 1,600 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 3.35 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Sodium hydroxymethanesulphonate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 423
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:**Propylene glycol:**

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

1-Deoxy-1-(methilamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species : Rabbit
Result : Mild skin irritation

Phenol:

Species : Rabbit
Result : Corrosive after 3 minutes to 1 hour of exposure

2,2'-Iminodiethanol:

Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
5.1	09/13/2019	1308645-00008	Date of first issue: 02/21/2017

Species : Rabbit
Result : Skin irritation

Sodium hydroxymethanesulphinate:

Species : Rat
Result : No skin irritation
Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye damage.

Components:**Propylene glycol:**

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

1-Deoxy-1-(methyldamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species : Rabbit
Result : Irreversible effects on the eye

Phenol:

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

2,2'-Iminodiethanol:

Species : Rabbit
Result : Irreversible effects on the eye

Sodium hydroxymethanesulphinate:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:**Propylene glycol:**

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
5.1	09/13/2019	1308645-00008	Date of first issue: 02/21/2017

Result : negative

1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Test Type : Maximization Test
Routes of exposure : Dermal
Species : Guinea pig
Assessment : Does not cause skin sensitization.
Result : negative

Phenol:

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

2,2'-Iminodiethanol:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

Sodium hydroxymethanesulphinate:

Test Type : Maximization Type
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative
Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:**Propylene glycol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: in vitro test

Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
5.1	09/13/2019	1308645-00008	Date of first issue: 02/21/2017

		Test system: mouse lymphoma cells Result: positive
		Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: positive
		Test Type: in vitro test Test system: Escherichia coli Result: positive
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative
Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
Phenol:		
Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: positive
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: positive Remarks: Annex VI From 1272/2008
Germ cell mutagenicity - Assessment	:	Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.
2,2'-Iminodiethanol:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Chromosome aberration test in vitro Result: negative
		Test Type: In vitro sister chromatid exchange assay in mammalian cells Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Skin contact Result: negative

Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
5.1	09/13/2019	1308645-00008	Date of first issue: 02/21/2017

Sodium hydroxymethanesulphinate:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: positive Remarks: Based on data from similar materials
Germ cell mutagenicity - Assessment	:	Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Carcinogenicity

Not classified based on available information.

Components:

Propylene glycol:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species	:	Rat
Application Route	:	oral (feed)
Exposure time	:	104 w
LOAEL	:	2 mg/kg body weight
Result	:	negative
Target Organs	:	Gastrointestinal tract
Remarks	:	Significant toxicity observed in testing

Species	:	Mouse
Application Route	:	oral (feed)
Exposure time	:	97 w
NOAEL	:	0.6 mg/kg body weight
Result	:	negative
Target Organs	:	Gastrointestinal tract
Remarks	:	Significant toxicity observed in testing

Phenol:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
5.1	09/13/2019	1308645-00008	Date of first issue: 02/21/2017

2,2'-Iminodiethanol:

Species	:	Mouse
Application Route	:	Skin contact
Exposure time	:	103 weeks
Result	:	positive
Remarks	:	The mechanism or mode of action may not be relevant in humans.

Species	:	Rat
Application Route	:	Skin contact
Exposure time	:	103 weeks
Result	:	negative

IARC	Group 2B: Possibly carcinogenic to humans 2,2'-Iminodiethanol	111-42-2
-------------	--	----------

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:**Propylene glycol:**

Effects on fertility	:	Test Type: Three-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Result: negative
----------------------	---	---

Effects on fetal development	:	Test Type: Embryo-fetal development Species: Mouse Application Route: Ingestion Result: negative
------------------------------	---	---

1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral General Toxicity Parent: LOAEL: 1 - 1.5 mg/kg body weight Symptoms: No fetal abnormalities. Result: No effects on fertility and early embryonic development were detected.
----------------------	---	--

Effects on fetal development	:	Test Type: Development Species: Rat Application Route: Oral General Toxicity Maternal: LOAEL: 2 mg/kg body weight Embryo-fetal toxicity.: NOAEL: 2 mg/kg body weight
------------------------------	---	--

Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
5.1	09/13/2019	1308645-00008	Date of first issue: 02/21/2017

Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: LOAEL: 3 mg/kg body weight
Embryo-fetal toxicity.: NOAEL: 3 mg/kg body weight
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Phenol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

2,2'-Iminodiethanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Inhalation
Method: OECD Test Guideline 414
Result: negative

Sodium hydroxymethanesulphonate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: positive
Remarks: Based on data from similar materials

Reproductive toxicity - As- : Some evidence of adverse effects on development, based on

Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
5.1	09/13/2019	1308645-00008	Date of first issue: 02/21/2017

assessment animal experiments.

STOT-single exposure

Not classified based on available information.

Components:**1-Deoxy-1-(methyamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Causes damage to organs (Gastrointestinal tract, Kidney, Blood) through prolonged or repeated exposure.

Components:**1-Deoxy-1-(methyamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Target Organs : Gastrointestinal tract, Kidney, Blood
Assessment : Causes damage to organs through prolonged or repeated exposure.

Phenol:

Target Organs : Central nervous system, Kidney, Liver, Skin
Assessment : May cause damage to organs through prolonged or repeated exposure.

2,2'-Iminodiethanol:

Routes of exposure : inhalation (dust/mist/fume)
Assessment : No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d or less.

Routes of exposure : Ingestion
Target Organs : Kidney, Blood, Liver
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

Routes of exposure : Skin contact
Target Organs : Blood, Liver
Assessment : Shown to produce significant health effects in animals at concentrations of >20 to 200 mg/kg bw.

Repeated dose toxicity**Components:****Propylene glycol:**

Species : Rat, male
NOAEL : 1,700 mg/kg
Application Route : Ingestion
Exposure time : 2 y

Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
5.1	09/13/2019	1308645-00008	Date of first issue: 02/21/2017

1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species	: Rat
NOAEL	: 2 mg/kg
LOAEL	: < 4 mg/kg
Application Route	: Oral
Exposure time	: 6 w
Target Organs	: Gastrointestinal tract

Species	: Rat
NOAEL	: 1 mg/kg
Application Route	: Oral
Exposure time	: 1 y
Target Organs	: Gastrointestinal tract, Kidney

Species	: Monkey
NOAEL	: 15 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Target Organs	: Gastrointestinal tract, Blood

Species	: Rabbit
LOAEL	: 80 mg/kg
Application Route	: Dermal
Exposure time	: 21 d
Symptoms	: Severe irritation

Species	: Dog
LOAEL	: 11 mg/kg
Application Route	: Oral
Exposure time	: 9 d
Target Organs	: Gastrointestinal tract
Symptoms	: Vomiting

Phenol:

Species	: Rat
LOAEL	: 300 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OECD Test Guideline 408

Species	: Rat
NOAEL	: >= 0.1 mg/l
Application Route	: inhalation (vapor)
Exposure time	: 74 Days

Species	: Rabbit
LOAEL	: 260 mg/kg
Application Route	: Skin contact
Exposure time	: 18 Days

2,2'-Iminodiethanol:

Species	: Rat
LOAEL	: 14 - 25 mg/kg

Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
5.1	09/13/2019	1308645-00008	Date of first issue: 02/21/2017

Application Route	:	Ingestion
Exposure time	:	13 Weeks
Species	:	Rat
LOAEL	:	0.015 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	90 Days
Method	:	OECD Test Guideline 413
Species	:	Rat
LOAEL	:	32 mg/kg
Application Route	:	Skin contact
Exposure time	:	13 Weeks

Sodium hydroxymethanesulphonate:

Species	:	Rat
NOAEL	:	600 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Method	:	OECD Test Guideline 408
Remarks	:	Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****1-Deoxy-1-(methyldamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Inhalation	:	Symptoms: respiratory tract irritation
Skin contact	:	Symptoms: Skin irritation
Eye contact	:	Symptoms: Severe irritation
Ingestion	:	Symptoms: Gastrointestinal disturbance, bleeding, hypertension, Kidney disorders

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
5.1	09/13/2019	1308645-00008	Date of first issue: 02/21/2017

NOEC (*Pseudokirchneriella subcapitata* (green algae)): 32 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

Components:

Propylene glycol:

Toxicity to fish	:	LC50 (<i>Oncorhynchus mykiss</i> (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (<i>Ceriodaphnia dubia</i> (water flea)): 18,340 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (<i>Skeletonema costatum</i> (marine diatom)): 19,300 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (<i>Ceriodaphnia dubia</i> (water flea)): 13,020 mg/l Exposure time: 7 d
Toxicity to microorganisms	:	NOEC (<i>Pseudomonas putida</i>): > 20,000 mg/l Exposure time: 18 h

1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Toxicity to fish	:	LC50 (<i>Lepomis macrochirus</i> (Bluegill sunfish)): 28 mg/l Exposure time: 96 h Method: FDA 4.11
		LC50 (<i>Oncorhynchus mykiss</i> (rainbow trout)): 5.5 mg/l Exposure time: 96 h Method: FDA 4.11
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (<i>Daphnia magna</i> (Water flea)): 15 mg/l Exposure time: 48 h Method: FDA 4.08
Toxicity to algae/aquatic plants	:	NOEC (<i>Microcystis aeruginosa</i> (blue-green algae)): 97 mg/l Exposure time: 13 d Method: FDA 4.01
		NOEC (<i>Selenastrum capricornutum</i> (green algae)): 96 mg/l Exposure time: 12 d

Phenol:

Toxicity to fish	:	LC50 (<i>Pimephales promelas</i> (fathead minnow)): 24.9 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (<i>Ceriodaphnia dubia</i> (water flea)): 3.1 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (<i>Selenastrum capricornutum</i> (green algae)): 61.1 mg/l Exposure time: 96 h

Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
5.1	09/13/2019	1308645-00008	Date of first issue: 02/21/2017

Toxicity to fish (Chronic toxicity) : NOEC: 0.077 mg/l
Exposure time: 60 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l
Exposure time: 16 d

Toxicity to microorganisms : IC50 (Nitrosomonas sp.): 21 mg/l
Exposure time: 24 h

2,2'-Iminodiethanol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 460 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 30.1 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 9.5 mg/l
Exposure time: 72 h

EC10 (Pseudokirchneriella subcapitata (green algae)): 1.4 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 1.05 mg/l
Exposure time: 21 d

Toxicity to microorganisms : EC10: > 1,000 mg/l
Exposure time: 30 min
Method: OECD Test Guideline 209

Sodium hydroxymethanesulphinate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 370 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 13.5 mg/l
Exposure time: 35 d
Method: OECD Test Guideline 210
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 5.6 mg/l
Exposure time: 21 d

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
5.1	09/13/2019	1308645-00008	Date of first issue: 02/21/2017

Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
5.1	09/13/2019	1308645-00008	Date of first issue: 02/21/2017

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 17.5
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 1.47

2,2'-Iminodiethanol:

Partition coefficient: n-octanol/water : log Pow: -2.46

Mobility in soil**Components:****1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Distribution among environmental compartments : log Koc: 1.92

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**49 CFR**

UN/ID/NA number	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (2,2'-Iminodiethanol)
Class	: 9
Packing group	: III
Labels	: CLASS 9
ERG Code	: 171
Marine pollutant	: no

Flunixin Injection Formulation

Version 5.1 Revision Date: 09/13/2019 SDS Number: 1308645-00008 Date of last issue: 04/24/2019
Date of first issue: 02/21/2017

Remarks : THE ABOVE INFORMATION ONLY APPLIES TO PACKAGE SIZES WHERE THE HAZARDOUS SUBSTANCE MEETS THE REPORTABLE QUANTITY.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know****CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
2,2'-Iminodiethanol	111-42-2	100	25000
Phenol	108-95-2	1000	200000

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Phenol	108-95-2	1000	200000

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)
Serious eye damage or eye irritation
Reproductive toxicity
Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations**Pennsylvania Right To Know**

Water	7732-18-5
Propylene glycol	57-55-6
1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	42461-84-7
Phenol	108-95-2
2,2'-Iminodiethanol	111-42-2

California Prop. 65

WARNING: This product can expose you to chemicals including 2,2'-Iminodiethanol, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

AICS : not determined

Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
5.1	09/13/2019	1308645-00008	Date of first issue: 02/21/2017


DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	*	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA Z-1 / TWA	:	8-hour time weighted average
US WEEL / TWA	:	8-hr TWA

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime

Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2019
5.1	09/13/2019	1308645-00008	Date of first issue: 02/21/2017

Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 09/13/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8