

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.30.2025

Page 1 of 12

DEFUSION PREMIUM PLUS

SECTION 1: Identification

Product Identifier

Product Name: DEFUSION PREMIUM PLUS

Product code: 130124545; 130124548



Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: For further manufacture of animal feed.

Uses Advised Against: Not for human consumption.

Reasons Why Uses Advised Against: Not determined or not applicable.

Manufacturer or Supplier Details

Manufacturer:

United States

Provimi North America, Inc

6571 OH-503 N

Lewisburg, OH 45338

1 (937) 770-2400

Emergency Telephone Number:

United States

VelocityEHS (formerly ChemTel, Inc)

1-800-255-3924 (North America)

+1-813-248-0585 (International)

SECTION 2: Hazard(s) Identification

GHS Classification:

Serious eye damage, category 1

Carcinogenicity, category 1A

Label elements

Hazard Pictograms:



Signal Word: Danger

Hazard statements:

H318 Causes serious eye damage

H350 May cause cancer if inhaled.

Precautionary Statements:

P233 Keep container tightly closed

P280 Wear protective gloves, protective clothing and eye protection.

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER or doctor/physician

P405 Store locked up

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.30.2025

Page 2 of 12

DEFUSION PREMIUM PLUS

P501 Dispose of contents and container in accordance with local, regional, national, and international regulations.

Hazards Not Otherwise Classified: None

SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 7681-57-4	Sodium metabisulfite	60-80
CAS Number: 1302-78-9	Bentonite	10-30
CAS Number: 8042-47-5	White mineral oil (petroleum)	1-5
CAS Number: 14808-60-7	Silica, crystalline quartz (respirable)	0.1-1

Additional Information:

The manufacturer has claimed the exact percentage as trade secret under the OSHA Hazard Communication Standard.

SECTION 4: First Aid Measures

Description of First Aid Measures

General Notes:

First Aid responders should wear gloves and other self-protection when performing treatment.
Show this Safety Data Sheet to the doctor in attendance.

After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If exposed, seek medical advice/attention.

After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After Eye Contact:

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most Important Symptoms and Effects, Both Acute and Delayed

Acute Symptoms and Effects:

Inhalation of large amounts of dust may cause inflammation and irritation of the nose and throat. Symptoms may include cough, sore throat, tightness of the chest, chest pain and lightheadedness. Eye contact may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.30.2025

Page 3 of 12

DEFUSION PREMIUM PLUS

damage and loss of vision.

Acute oral exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time).

Delayed Symptoms and Effects:

Exposure may cause cancer. Effects are dependent on exposure (dose, concentration, contact time).

Immediate Medical Attention and Special Treatment

Specific Treatment:

In case of eye contact, seek prompt medical attention while rinsing is continued.

Notes for the Doctor:

Treat symptomatically.

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

Use water (fog only), dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

Unsuitable Extinguishing Media:

Do not use water jet.

Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode. Use shielding to protect against bursting containers.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing and launder before reuse.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Avoid breathing dust, mist, fumes, vapors or spray. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and Storage

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.30.2025

Page 4 of 12

DEFUSION PREMIUM PLUS

Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Do not get in eyes. Avoid contact with skin and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
OSHA	Silica, crystalline quartz (respirable)	14808-60-7	8-Hour TWA-PEL: 0.05 mg/m ³
	Silica, crystalline quartz (respirable)	14808-60-7	8-Hour TWA-PEL: 0.025 mg/m ³ (Action level)
	Sodium metabisulfite	7681-57-4	8-Hour TWA-PEL: 5 mg/m ³
	White mineral oil (petroleum)	8042-47-5	8-Hour TWA-PEL: 5 mg/m ³ (Oil mists, mineral)
ACGIH	Silica, crystalline quartz (respirable)	14808-60-7	8-Hour TWA: 0.025 mg/m ³ (respirable particulate matter)
	Sodium metabisulfite	7681-57-4	8-Hour TWA: 5 mg/m ³
	Bentonite	1302-78-9	TWA: 1 mg/m ³ (respirable particulate matter (as Aluminum insoluble compounds))
	White mineral oil (petroleum)	8042-47-5	8-Hour TWA: 5 mg/m ³ (Oil mists, mineral [Pure, highly and severely refined, inhalable fraction])
NIOSH	Silica, crystalline quartz (respirable)	14808-60-7	REL-TWA: 0.05 mg/m ³ (up to 10 hr)
	Silica, crystalline quartz (respirable)	14808-60-7	IDLH: 50 mg/m ³
	Sodium metabisulfite	7681-57-4	8-Hour TWA: 5 mg/m ³
	White mineral oil (petroleum)	8042-47-5	REL-TWA: 5 mg/m ³ (up to 10 hr; Oil mists, mineral)
	White mineral oil (petroleum)	8042-47-5	IDLH: 2500 mg/m ³ (Oil mists, mineral)
	White mineral oil (petroleum)	8042-47-5	15-Minute STEL: 10 mg/m ³ (Oil mist, mineral)
United States(California)	Silica, crystalline quartz (respirable)	14808-60-7	8-Hour TWA-PEL: 0.05 mg/m ³ (respirable dust)
	Sodium metabisulfite	7681-57-4	8-Hour TWA-PEL: 5 mg/m ³

Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

Information on Monitoring Procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.30.2025

Page 5 of 12

DEFUSION PREMIUM PLUS

Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal Protection Equipment

Eye and Face Protection:

Safety goggles. Wear safety goggles and face shield when accidental contact with eye and face contact is possible.

Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Full body protection should be worn. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Contaminated clothing should be removed and separated for decontamination. Do not allow contaminated work clothing out of the workplace. Perform routine housekeeping.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Appearance	Solid, granules, grey to brown.
Odor	Characteristic sulfur dioxide odor.
Odor threshold	Not determined or not available.
pH	Not determined or not available.
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Not determined or not available.
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.30.2025

Page 6 of 12

DEFUSION PREMIUM PLUS

Density	Not determined or not available.
Relative density	Not determined or not available.
Solubilities	Partly soluble in water.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

SECTION 10: Stability and Reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical Stability:

Stable under recommended handling and storage conditions.

Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to Avoid:

Incompatible materials.

Incompatible Materials:

Strong oxidizing agents.

Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological Information

Acute Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

Route	Result
Oral	LC50 Rat: >2000 mg/kg (calculated, based on components.)

Substance Data:

Name	Route	Result
Sodium metabisulfite	oral	LD50 Rat: 1540 mg/kg
	inhalation	LC50 Rat: > 5.5 mg/L (4 hr [dust/aerosol])
	dermal	LD50 Rat: > 2000 mg/kg ([Read-across substance data])
Bentonite	oral	LD50 Rat: >5000 mg/kg
White mineral oil (petroleum)	dermal	LD50 Rabbit: >2000 mg/kg ([Read-across substance data])
	oral	LD50 Rat: >5000 mg/kg ([Read-across substance data])
	inhalation	LC50 Rat: >5 mg/L (4 hr [aerosol, Read-across substance data])

Skin Corrosion/Irritation

Assessment: Based on available data, the classification criteria are not met.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.30.2025

Page 7 of 12

DEFUSION PREMIUM PLUS

Product Data:

Based on components: Prolong contact may cause skin irritation. Prolong contact with dust or powder may cause slight skin irritation with local redness.

Substance Data: No data available.

Serious Eye Damage/Irritation

Assessment:

Causes serious eye damage.

Product Data:

Based on components: May cause severe irritation with corneal injury which may result in permanent impairment of vision, even blindness. Chemical burns may occur.

Substance Data:

Name	Result
Sodium metabisulfite	Causes serious eye damage.

Respiratory or Skin Sensitization

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Carcinogenicity

Assessment:

May cause cancer.

Product Data: No data available.

Substance Data:

Name	Species	Result
Silica, crystalline quartz (respirable)		May cause cancer via inhalation.

International Agency for Research on Cancer (IARC):

Name	Classification
Silica, crystalline quartz (respirable)	Group 1
Sodium metabisulfite	Group 3

National Toxicology Program (NTP):

Name	Classification
Silica, crystalline quartz (respirable)	Known to be human carcinogens

OSHA Carcinogens:

Ingredient Name	CAS	OSHA Carcinogens Status
Silica, crystalline quartz (respirable)	14808-60-7	Yes

Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.30.2025

Page 8 of 12

DEFUSION PREMIUM PLUS

Substance Data: No data available.

Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Single Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Repeated Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data:

Name	Result
Silica, crystalline quartz (respirable)	Causes damage to organs (lungs; kidneys; immune system) through prolonged or repeated exposure via inhalation.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

Not an aspiration hazard.

Substance Data:

Name	Result
White mineral oil (petroleum)	May be fatal if swallowed and enters airways.

Information on Likely Routes of Exposure:

Inhalation: Low toxicity anticipated from single exposure to dust. Dust may cause respiratory irritation.

Ingestion: Harmful effects not anticipated from swallowing small amounts; however, swallowing larger amounts may cause injury.

Skin: Prolong contact with dust may cause skin irritation.

Eye: Causes serious eye damage. May cause permanent impairment of vision, even blindness.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

Inhalation: May cause coughing and sneezing.

Ingestion: Swallowing may result in irritation of mouth, stomach, and lower, gastrointestinal tract.

Skin: Skin contact may cause itching, swelling and local redness.

Eye: Eye contact may cause tearing, swelling, itching, redness and blurred or loss of vision.

Other Information:

Repeated or prolonged exposure to respirable (airborne) crystalline silica dust will cause lung damage in the form of silicosis. Symptoms will include progressively more difficult breathing, cough, fever, and weight loss.

SECTION 12: Ecological Information

Acute (Short-Term) Toxicity

Assessment:

Based on components: Harmful to aquatic life.

Product Data: No data available.

Substance Data:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.30.2025

Page 9 of 12

DEFUSION PREMIUM PLUS

Name	Result
Sodium metabisulfite	Fish LC50 Oncorhynchus mykiss: 147 - 215 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 89 mg/L (48 hr [mobility])
	Aquatic Plants EC50 Desmodemus subspicatus: 43.8 mg/L (72 hr [growth rate])
Bentonite	Fish LC50 Oncorhynchus mykiss: 19,000 mg/L (96 hr)
White mineral oil (petroleum)	Fish LC50 Oncorhynchus mykiss: >100 mg/L (96 hr [mobility and mortality])
	Aquatic Invertebrates LC50 Daphnia magna: >100 mg/L (48 hr [mobility])

Chronic (Long-Term) Toxicity

Assessment:

Based on components: Material is practically non-toxic to aquatic organisms on a chronic basis.

Product Data: No data available.

Substance Data:

Name	Result
Sodium metabisulfite	Aquatic Invertebrates NOEC Daphnia magna: > 10 mg/L (21 d [reproduction rate and mortality, Read-across substance data])
	Fish NOEC Danio rerio: \geq 316 mg/L (34 d [hatching success, mortality, numbers of healthy fish, length of surviving fish, dry weight of the surviving fish, Read-across substance data])
White mineral oil (petroleum)	Fish NOEC Oncorhynchus mykiss: \geq 1000 mg/L (28 d [NOEL-mortality, QSAR substance data])
	Aquatic Invertebrates NOEC Daphnia magna: \geq 1 mg/L (21 d [NOEL-reproduction, Read-across substance data])
	Aquatic Plants NOEC Raphidocelis subcapitata: \geq 100 mg/L (72 hr [growth rate])

Persistence and Degradability

Product Data: No data available.

Substance Data:

Name	Result
Sodium metabisulfite	Persistence assessment based on biodegradability is not relevant for their inorganic compounds such as this substance.
White mineral oil (petroleum)	Standard biodegradability studies are not applicable to petroleum UVCB substances.

Bioaccumulative Potential

Product Data: No data available.

Substance Data:

Name	Result
Sodium metabisulfite	Bioaccumulation assessment using a classic BCF assessment is not considered relevant for inorganic compounds such as this substance.
White mineral oil (petroleum)	Standard bioaccumulation studies are not applicable to petroleum UVCB substances.

Mobility in Soil

Product Data: No data available.

Substance Data:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.30.2025

Page 10 of 12

DEFUSION PREMIUM PLUS

Name	Result
Sodium metabisulfite	Mobility in soil assessment based on KOC/Kd values are not relevant for inorganic compounds such as this substance.
White mineral oil (petroleum)	Standard adsorption/desorption studies are not applicable to petroleum UVCB substances.

Results of PBT and vPvB assessment

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance Data:

PBT assessment:

Sodium metabisulfite	PBT assessment does not apply to inorganic compounds such as this substance.
White mineral oil (petroleum)	Standard PBT studies are not applicable to petroleum UVCB substances.

vPvB assessment:

Sodium metabisulfite	vPvB assessment does not apply to inorganic compounds such as this substance.
White mineral oil (petroleum)	Standard vPvB studies are not applicable to petroleum UVCB substances.

Other Adverse Effects: No data available.

SECTION 13: Disposal Considerations

Disposal Methods:

Dispose in accordance with all applicable regulations. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities.

Contaminated packages:

Since emptied containers may retain product residue, follow label warning even after container is emptied.

SECTION 14: Transport Information

United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

International Maritime Dangerous Goods (IMDG)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.30.2025

Page 11 of 12

DEFUSION PREMIUM PLUS

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

SECTION 15: Regulatory Information

United States Regulations

Inventory Listing (TSCA): One or more ingredients are not listed. For animal feed use only.

Significant New Use Rule (TSCA Section 5): Not assessed.

Export Notification under TSCA Section 12(b): Not assessed.

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

SARA Section 313 Toxic Chemicals: None of the ingredients are listed.

CERCLA: None of the ingredients are listed.

RCRA: None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know:

14808-60-7	Silica, crystalline quartz (respirable)	Listed
7681-57-4	Sodium metabisulfite	Listed
8042-47-5	White mineral oil (petroleum)	Listed

New Jersey Right to Know:

14808-60-7	Silica, crystalline quartz (respirable)	Listed
7681-57-4	Sodium metabisulfite	Listed
8042-47-5	White mineral oil (petroleum)	Listed

New York Right to Know:

7681-57-4	Sodium metabisulfite	Listed
-----------	----------------------	--------

Pennsylvania Right to Know:

14808-60-7	Silica, crystalline quartz (respirable)	Listed
7681-57-4	Sodium metabisulfite	Listed
8042-47-5	White mineral oil (petroleum)	Listed

California Proposition 65:

⚠️ WARNING: This product can expose you to Silica, crystalline quartz (respirable); which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Additional information: Not determined.

SECTION 16: Other Information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.30.2025

Page 12 of 12

DEFUSION PREMIUM PLUS

designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial Preparation Date: 05.30.2025

End of Safety Data Sheet