

# SAFETY DATA SHEET



Revision date: 21-Jul-2015

Version: 2.2

Page 1 of 9

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

### Product Identifier

**Material Name:** HOOF-TEC™ Copper-Cutter Dry Mix

**Trade Name:** Hoof-Tec  
**Synonyms:** Hoof-Tec 2000 Dry Footbath Mix (Copper Cutter), HT2000, Dry Mix, Copper Cutter  
**Chemical Family:** Mixture

### Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

**Intended Use:** Veterinary product  
**Restrictions on Use:** Not for human use

### Details of the Supplier of the Safety Data Sheet

Zoetis Inc.  
100 Campus Drive, P.O. Box 651  
Florham Park, New Jersey 07932 (USA)  
Rocky Mountain Poison and Drug Center Phone: 1-866-531-8896  
Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A.  
Mercuriusstraat 20  
1930 Zaventem  
Belgium

**Emergency telephone number:**  
**CHEMTREC (24 hours): 1-800-424-9300**  
**Contact E-Mail:** VMIPSrecords@zoetis.com

**Emergency telephone number:**  
**International CHEMTREC (24 hours): +1-703-527-3887**

## 2. HAZARDS IDENTIFICATION

**Appearance:** Off-white and blue granular solid

### Classification of the Substance or Mixture

#### GHS - Classification

Acute Oral Toxicity: Category 4  
Skin Corrosion/Irritation: Category 2  
Serious Eye Damage/Eye Irritation: Category 1  
Acute aquatic toxicity: Category 1  
Chronic aquatic toxicity: Category 1

#### US OSHA Specific - Classification

**Physical Hazard:** Combustible Dust

#### EU Classification:

EU Indication of danger: Not determined

### Label Elements

**Signal Word:** Danger

## SAFETY DATA SHEET

Material Name: HOOF-TEC™ Copper-Cutter Dry Mix  
Revision date: 21-Jul-2015

Page 2 of 9  
Version: 2.2

### 2. HAZARDS IDENTIFICATION

**Hazard Statements:** H318 - Causes serious eye damage  
H315 - Causes skin irritation  
H302 - Harmful if swallowed  
H410 - Very toxic to aquatic life with long lasting effects  
May form combustible dust concentrations in air

**Precautionary Statements:** P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
P240 - Ground/Bond container and receiving equipment  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P264 - Wash hands thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P273 - Avoid release to the environment  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTRE or doctor/physician  
P302+ P352 - IF ON SKIN: Wash with plenty of soap and water  
P332 + P313 - If skin irritation occurs: Get medical advice/attention  
P362 - Take off contaminated clothing and wash before reuse  
P301+ P312 - IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell  
P330 - Rinse mouth  
P391 - Collect spillage  
P501 - Dispose of contents/container in accordance with all local and national regulations



**Other Hazards**  
**Short Term:**

Severe eye irritant ; Irritation may occur following direct contact. Symptoms might include redness, swelling, discharge, blurred vision, pain or permanent eye damage. Causes skin irritation. Signs and symptoms might include skin rash, itching, redness or swelling. May cause mucous membrane and respiratory tract irritation.

**Australian Hazard Classification (NOHSC):**

Hazardous Substance. Non-Dangerous Goods.

**Note:** This document has been prepared in accordance with standards for workplace safety, which requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Hazardous**

| Ingredient | CAS Number | EU EINECS/ELINCS List | EU Classification | GHS Classification | % |
|------------|------------|-----------------------|-------------------|--------------------|---|
|            |            |                       |                   |                    |   |

## SAFETY DATA SHEET

Material Name: HOOF-TEC™ Copper-Cutter Dry Mix  
Revision date: 21-Jul-2015

Page 3 of 9  
Version: 2.2

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

|                              |             |            |                                    |  |         |
|------------------------------|-------------|------------|------------------------------------|--|---------|
| Copper Sulfate, Pentahydrate | 7758-99-8   | Not Listed | Xn; R22<br>Xi; R36/38<br>N; R50/53 | Acute Tox. 4 (H302)<br>Skin Irrit. 2 (H315)<br>Eye Irrit. 2 (H319)<br>Aq. Acute 1 (H400)<br>Aq. Chronic 1 (H410) | 35 - 55 |
| Zinc sulfate monohydrate     | 7446-19-7   | Not Listed | Xn; R22<br>Xi; R41<br>N; R50-53    | Acute Tox. 4 (H302)<br>Aquatic Chronic 1 (H410)<br>Aquatic Acute 1 (H400)<br>Eye Dam. 1 (H318)                   | 25 - 40 |
| Inorganic salt               | Proprietary | 231-820-9  | Not Listed                         | Not Listed   | 20 - 35 |

**Additional Information:** Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety. In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

### 4. FIRST AID MEASURES

#### Description of First Aid Measures

- Eye Contact:** Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.
- Skin Contact:** Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.
- Ingestion:** Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.
- Inhalation:** Remove to fresh air and keep patient at rest. Seek medical attention immediately.

#### Most Important Symptoms and Effects, Both Acute and Delayed

- Symptoms and Effects of Exposure:** For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information.
- Medical Conditions Aggravated by Exposure:** Breathing dust may worsen asthma symptoms.

#### Indication of the Immediate Medical Attention and Special Treatment Needed

- Notes to Physician:** None

### 5. FIRE-FIGHTING MEASURES

**Extinguishing Media:** Extinguish fires with CO<sub>2</sub>, extinguishing powder, foam, or water.

#### Special Hazards Arising from the Substance or Mixture

- Hazardous Combustion Products:** Formation of toxic gases is possible during heating or fire.
- Fire / Explosion Hazards:** During processing, dust may form explosive mixture in air. Fine particles (such as dust and mists) may fuel fires/explosions.

## SAFETY DATA SHEET

Material Name: HOOF-TEC™ Copper-Cutter Dry Mix  
Revision date: 21-Jul-2015

Page 4 of 9  
Version: 2.2

### Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Avoid dust formation.

### Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

### Methods and Material for Containment and Cleaning Up

#### Measures for Cleaning / Collecting:

Contain the source of the spill if it is safe to do so. Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity). Collect spilled material by a method that controls dust generation. Use non-combustible absorbent material to wipe up spill and place in a sealed container for disposal. Clean spill area thoroughly.

#### Additional Consideration for Large Spills:

Avoid generating airborne dust. Contain the source of the spill or leak and shut off all electrical equipment if it is safe to do so. Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding procedures. Collect spill with an inert, non-combustible absorbent material and transfer to labeled container for disposal. Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

## 7. HANDLING AND STORAGE

### Precautions for Safe Handling

Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding and bonding procedures. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Minimize dust generation and accumulation. Use with adequate ventilation. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

### Conditions for Safe Storage, Including any Incompatibilities

**Storage Conditions:** Keep in a dry, cool and well-ventilated place. Keep container tightly closed when not in use. Keep away from moisture and sources of heat or ignition.

**Incompatible Materials:** Strong oxidizing agents; moisture

**Specific end use(s):** No data available

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

### Copper Sulfate, Pentahydrate

ACGIH Threshold Limit Value (TWA) 1 mg/m<sup>3</sup>

Finland OEL - TWA 1 mg/m<sup>3</sup>

### Inorganic salt

Latvia OEL - TWA 10 mg/m<sup>3</sup>

Lithuania OEL - TWA 10 mg/m<sup>3</sup>

## SAFETY DATA SHEET

Material Name: HOOF-TEC™ Copper-Cutter Dry Mix  
Revision date: 21-Jul-2015

Page 5 of 9  
Version: 2.2

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Exposure Controls

|                                       |   |
|---------------------------------------|---|
| <b>Engineering Controls:</b>          | Engineering controls should be used as the primary means to control exposures. Use process containment, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.   |
| <b>Personal Protective Equipment:</b> | Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).   |
| <b>Hands:</b>                         | Wear impervious gloves as minimum protection.   |
| <b>Eyes:</b>                          | Wear safety goggles as minimum protection (additionally, face shield recommended for open handling).  |
| <b>Skin:</b>                          | Wear impervious protective clothing when handling this compound.  |
| <b>Respiratory protection:</b>        | Whenever excessive air contamination (dust, mist, vapor) is generated, respiratory protection, with appropriate protection factors, should be used to minimize exposure. If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL. |

### 9. PHYSICAL AND CHEMICAL PROPERTIES

|   |                    |                          |                    |
|---|--------------------|--------------------------|--------------------|
| <b>Physical State:</b>                                      | Granular solid     | <b>Color:</b>            | Off-white and blue |
| <b>Odor:</b>  | No data available. | <b>Odor Threshold:</b>   | No data available. |
| <b>Molecular Formula:</b>                                   | Mixture            | <b>Molecular Weight:</b> | Mixture            |
| <b>Solvent Solubility:</b>                                  | No data available  |                          |                    |
| <b>Water Solubility:</b>                                    | Soluble            |                          |                    |
| <b>pH:</b>  | No data available. |                          |                    |
| <b>Melting/Freezing Point (°C):</b>                         | No data available  |                          |                    |
| <b>Boiling Point (°C):</b>                                  | No data available. |                          |                    |
| <b>Partition Coefficient: (Method, pH, Endpoint, Value)</b> |                    |                          |                    |
| <b>Decomposition Temperature (°C):</b>                      | No data available. |                          |                    |
| <b>Evaporation Rate (Gram/s):</b>                           | No data available  |                          |                    |
| <b>Vapor Pressure (kPa):</b>                                | No data available  |                          |                    |
| <b>Vapor Density (g/ml):</b>                                | No data available  |                          |                    |
| <b>Relative Density:</b>                                    | No data available  |                          |                    |
| <b>Viscosity:</b>   | No data available  |                          |                    |
| <b>Flammability:</b>  |                    |                          |                    |
| <b>Autoignition Temperature (Solid) (°C):</b>               |                    | No data available        |                    |
| <b>Flammability (Solids):</b>                               |                    | No data available        |                    |
| <b>Flash Point (Liquid) (°C):</b>                           |                    | No data available        |                    |
| <b>Upper Explosive Limits (Liquid) (% by Vol.):</b>         |                    | No data available        |                    |
| <b>Lower Explosive Limits (Liquid) (% by Vol.):</b>         |                    | No data available        |                    |
| <b>Polymerization:</b>                                      |                    | Will not occur           |                    |

### 10. STABILITY AND REACTIVITY

|   |  |
|---|--|
| <b>Reactivity:</b>                        | No data available  |
| <b>Chemical Stability:</b>                | Stable under normal conditions of use.   |
| <b>Possibility of Hazardous Reactions</b> |  |
| <b>Oxidizing Properties:</b>              | No data available  |
| <b>Conditions to Avoid:</b>               | Keep away from heat and other sources of ignition, including electrostatic discharge. Avoid dispersion as a dust cloud. Dust may form explosive mixture in air. Fine particles (such as dust and mists) may fuel fires/explosions. |

## SAFETY DATA SHEET

Material Name: HOOF-TEC™ Copper-Cutter Dry Mix  
Revision date: 21-Jul-2015

Page 6 of 9  
Version: 2.2

### 10. STABILITY AND REACTIVITY

**Incompatible Materials:** Strong oxidizing agents; moisture  
**Hazardous Decomposition Products:** Thermal decomposition products may include carbon monoxide, carbon dioxide and other toxic vapors. Copper oxides Zinc oxides

### 11. TOXICOLOGICAL INFORMATION

#### Information on Toxicological Effects

##### General Information:

Toxicological properties of the formulation have not been investigated. The information in this section describes the potential hazards of the individual ingredients and the formulation.  
Routes of exposure: inhalation , eye contact , skin contact

#### Acute Toxicity: (Species, Route, End Point, Dose)

##### Copper Sulfate, Pentahydrate

Rat Oral LD50 300 mg/kg  
Rat Dermal LD50 > 2000 mg/kg

##### Inorganic salt

Mouse Oral LD50 5989 mg/kg  
Rabbit IV LD50 1220mg/kg

##### Acute Toxicity Comments:

A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable at the highest dose used in the test.

##### Inhalation Acute Toxicity

May be harmful if inhaled. May cause respiratory tract and mucous membrane irritation.

##### Ingestion Acute Toxicity

Harmful if swallowed.

##### Irritation / Sensitization Comments:

May cause irreversible eye damage.

##### Skin Irritation / Sensitization

Moderate skin irritant

#### Carcinogen Status:

None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

#### Product Level Toxicity Data

**Acute Toxicity Estimate (ATE),  
oral**

ca. 380 mg/kg

## SAFETY DATA SHEET

Material Name: HOOF-TEC™ Copper-Cutter Dry Mix  
Revision date: 21-Jul-2015

Page 7 of 9  
Version: 2.2

### 12. ECOLOGICAL INFORMATION

**Environmental Overview:** Environmental properties have not been thoroughly investigated. The following information is available for the individual ingredients. Releases to the environment should be avoided.

**Toxicity:**

**Aquatic Toxicity: (Species, Method, End Point, Duration, Result)**

**Copper Sulfate, Pentahydrate**

|   |      |          |                    |
|---|------|----------|--------------------|
| <i>Lepomis macrochirus</i> (Bluegill Sunfish) | LC50 | 96 Hours | 0.66 - 1.8 mg/L    |
| <i>Daphnia magna</i> (Water Flea)             | EC50 | 48 Hours | 0.147 - 0.227 mg/L |

**Persistence and Degradability:** No data available

**Bio-accumulative Potential:** No data available

**Mobility in Soil:** No data available

### 13. DISPOSAL CONSIDERATIONS

**Waste Treatment Methods:** Should not be released into the environment. Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

### 14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below. For inner containers or single containers greater than 5 kilograms:

This material is regulated for transportation as a hazardous material/dangerous good.

|                                    |  |
|------------------------------------|--|
| <b>UN number:</b>                  | UN 3077  |
| <b>UN proper shipping name:</b>    | Environmentally Hazardous Substance, Solid, n.o.s (Copper sulfate, pentahydrate) |
| <b>Transport hazard class(es):</b> | 9  |
| <b>Packing group:</b>              | III  |
| <b>Environmental Hazard(s):</b>    | Marine Pollutant   |

Inner containers or single containers 5 Liters (or 5 kilograms) or less net quantity are not subject to the DG regulations as per conditions specified in IATA/ICAO A197; IMDG 2.10.2.7; ADR SP 375 . Please refer to the applicable dangerous goods regulations for additional information. Transport according to the requirements of the appropriate regulatory body.

DOT

## SAFETY DATA SHEET

Material Name: HOOF-TEC™ Copper-Cutter Dry Mix  
Revision date: 21-Jul-2015

Page 8 of 9  
Version: 2.2

Bulk packages regulated as indicated above. Not regulated for transport in non-bulk (< 400 kg) packages unless shipped by vessel (water). In addition, as of January 2015, marine pollutants in non-bulk single or combination packages shipped by vessel in quantities less than or equal to 5 kg (for solids) or less than or equal to 5 L (for liquids) are not regulated in transport if the packaging requirements and other criteria of 49 CFR 171.4 are met.

### 15. REGULATORY INFORMATION

#### Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

##### Canada - WHMIS: Classifications

##### WHMIS hazard class:

Class D, Division 1, Subdivision B

Class D, Division 2, Subdivision B

This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all of the information required by the CPR.



##### Copper Sulfate, Pentahydrate

|                                    |            |
|------------------------------------|------------|
| CERCLA/SARA 313 Emission reporting | Not Listed |
| California Proposition 65          | Not Listed |
| Australia (AICS):                  | Present    |
| EU EINECS/ELINCS List              | Not Listed |

##### Zinc sulfate monohydrate

|                                    |            |
|------------------------------------|------------|
| CERCLA/SARA 313 Emission reporting | Not Listed |
| California Proposition 65          | Not Listed |
| Australia (AICS):                  | Present    |
| EU EINECS/ELINCS List              | Not Listed |

##### Inorganic salt

|   |            |
|---|------------|
| CERCLA/SARA 313 Emission reporting          | Not Listed |
| California Proposition 65                   | Not Listed |
| Inventory - United States TSCA - Sect. 8(b) | Present    |
| Australia (AICS):                           | Present    |
| EU EINECS/ELINCS List                       | 231-820-9  |

### 16. OTHER INFORMATION

#### Text of R phrases and GHS Classification abbreviations mentioned in Section 3

## SAFETY DATA SHEET

**Material Name:** HOOF-TEC™ Copper-Cutter Dry Mix  
**Revision date:** 21-Jul-2015

**Page 9 of 9**  
**Version: 2.2**

---

Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed  
Serious eye damage/eye irritation-Cat.2A; H319 - Causes serious eye irritation  
Skin corrosion/irritation-Cat.2; H315 - Causes skin irritation  
Serious eye damage/eye irritation-Cat.1; H318 - Causes serious eye damage  
Hazardous to the aquatic environment, acute toxicity-Cat.1; H400 - Very toxic to aquatic life  
Hazardous to the aquatic environment, chronic toxicity-Cat.1; H410 - Very toxic to aquatic life with long lasting effects

Xn - Harmful  
Xi - Irritant  
N - Dangerous for the environment

R22 - Harmful if swallowed.  
R41 - Risk of serious damage to eyes.  
R36/38 - Irritating to eyes and skin.  
R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Data Sources:** The data contained in this SDS may have been gathered from confidential internal sources, raw material suppliers, or from the published literature.

**Reasons for Revision:** Updated Section 2 - Hazard Identification. Updated Section 6 - Accidental Release Measures. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 11 - Toxicology Information. Updated Section 13 - Disposal Considerations. Updated Section 14 - Transport Information.

**Prepared by:** Toxicology and Hazard Communication  
Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

**End of Safety Data Sheet**