

SAFETY DATA SHEET



Revision date: 01-May-2015

Version: 2.0

Page 1 of 9

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: HOOF-TEC™ Copper-Shot Topical Spray

Trade Name: Hoof-Tec

Synonyms: Hoof-Tec 4000; HT4000; Copper-Shot Spray; Organic acid based spray

Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary product

Restrictions on Use: Not for human use

Details of the Supplier of the Safety Data Sheet

Zoetis Inc.
100 Campus Drive, P.O. Box 651
Florham Park, New Jersey 07932 (USA)
Rocky Mountain Poison and Drug Center Phone: 1-866-531-8896
Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A.
Mercuriusstraat 20
1930 Zaventem
Belgium

Emergency telephone number:
CHEMTREC (24 hours): 1-800-424-9300
Contact E-Mail: VMIPSrecords@zoetis.com

Emergency telephone number:
International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance: Liquid

Classification of the Substance or Mixture

GHS - Classification

Acute Oral Toxicity: Category 4
Skin Corrosion/Irritation: Category 2
Serious Eye Damage/Eye Irritation: Category 2A
Acute aquatic toxicity: Category 2
Chronic aquatic toxicity: Category 2

EU Classification:

EU Indication of danger: Xi - Irritant
N - Dangerous for the environment

EU Symbol: Xi N

EU Risk Phrases:

R36/38 - Irritating to eyes and skin.
R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Label Elements

Signal Word: Warning

SAFETY DATA SHEET

Material Name: HOOF-TEC™ Copper-Shot Topical Spray
Revision date: 01-May-2015

Page 2 of 9
Version: 2.0

2. HAZARDS IDENTIFICATION

- Hazard Statements:** H302 - Harmful if swallowed
H315 - Causes skin irritation
H319 - Causes serious eye irritation
H411 - Toxic to aquatic life with long lasting effects
- Precautionary Statements:** P280 - Wear protective gloves/protective clothing/eye protection/face protection
P264 - Wash hands thoroughly after handling
P270 - Do not eat, drink or smoke when using this product
P273 - Avoid release to the environment
P301+ P312 - IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell
P330 - Rinse mouth
P302+ P352 - IF ON SKIN: Wash with plenty of soap and water
P332 + P313 - If skin irritation occurs: Get medical advice/attention
P362 - Take off contaminated clothing and wash before reuse
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337 + P313 - If eye irritation persists: Get medical advice/attention
P391 - Collect spillage
P501 - Dispose of contents/container in accordance with all local and national regulations



Other Hazards
Short Term:

Can cause eye irritation. Signs and symptoms might include redness, swelling, blurred vision or pain. Can cause skin irritation. Signs and symptoms might include skin rash, itching, redness or swelling. May be harmful if inhaled. (based on components)
Hazardous Substance. Non-Dangerous Goods.

Australian Hazard Classification (NOHSC):

Note: This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Citric acid	77-92-9	201-069-1	Xi; R36	Eye Irrit. 2A (H319)	10 - 25

SAFETY DATA SHEET

Material Name: HOOF-TEC™ Copper-Shot Topical Spray
Revision date: 01-May-2015

Page 3 of 9
Version: 2.0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Copper Sulfate, Pentahydrate	7758-99-8	Not Listed	Xn; R22 Xi; R36/38 N; R50/53	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Aq. Acute 1 (H400) Aq. Chronic 1 (H410)	10 - 20
Inorganic salt	Proprietary	231-820-9	Not Listed	Not Listed	5 - 15

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Water	7732-18-5	231-791-2	Not Listed	Not Listed	45 - 65

Additional Information: Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety. In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.

Ingestion: In the event of swallowing this material, seek immediate medical attention. DO NOT INDUCE VOMITING.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of Exposure: For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information.

Medical Conditions Aggravated by Exposure: None known

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Products: Formation of toxic gases is possible during heating or fire.

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

SAFETY DATA SHEET

Material Name: HOOF-TEC™ Copper-Shot Topical Spray
Revision date: 01-May-2015

Page 4 of 9
Version: 2.0

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Ensure adequate ventilation. Avoid dust and mist generation. Avoid contact with skin, eyes and clothing .

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Collecting: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill area thoroughly.

Additional Consideration for Large Spills: Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

When handling, use appropriate personal protective equipment (see Section 8). Use with adequate ventilation. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store tightly covered away from heat, acids, bases, and oxidizers. Protect from freezing.

Storage Temperature: < 50 °C/122 °F

Incompatible Materials: Metals Strong alkalis Reducing agents

Specific end use(s): No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Copper Sulfate, Pentahydrate

ACGIH Threshold Limit Value (TWA) 1 mg/m³

Finland OEL - TWA 1 mg/m³

Inorganic salt

Latvia OEL - TWA 10 mg/m³

Lithuania OEL - TWA 10 mg/m³

The exposure limit(s) listed for solid components are only relevant if dust may be generated.

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. Keep airborne contamination levels below the exposure limits listed above in this section. General room ventilation is adequate unless the process generates dust, mist or fumes.

Personal Protective Equipment: Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).

Hands: Wear impervious gloves if skin contact is possible.

SAFETY DATA SHEET

Material Name: HOOF-TEC™ Copper-Shot Topical Spray
Revision date: 01-May-2015

Page 5 of 9
Version: 2.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Eyes: Wear safety goggles if eye contact is possible (face shield recommended if splashing is possible).

Skin: Wear impervious protective clothing to prevent skin contact.

Respiratory protection: If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL. Whenever air contamination (mist, vapor or odor) is generated, respiratory protection is recommended as a precaution to minimize exposure.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid	Color:	Dark blue
Odor:	None	Odor Threshold:	No data available.
Molecular Formula:	Mixture	Molecular Weight:	Mixture
Solvent Solubility:	No data available		
Water Solubility:	Soluble		
pH:	1.8 (Citric acid)		
Melting/Freezing Point (°C):	-18		
Boiling Point (°C):	116		
Partition Coefficient: (Method, pH, Endpoint, Value)			
No data available			
Decomposition Temperature (°C):	No data available.		
Evaporation Rate (Gram/s):	No data available		
Vapor Pressure (kPa):	No data available		
Vapor Density (g/ml):	No data available		
Relative Density:	No data available		
Specific Gravity:	1.30 @ 25C/77F		
Viscosity:	No data available		
Flammability:			
Autoignition Temperature (Solid) (°C):		No data available	
Flammability (Solids):		No data available	
Flash Point (Liquid) (°C):		No data available	
Upper Explosive Limits (Liquid) (% by Vol.):		No data available	
Lower Explosive Limits (Liquid) (% by Vol.):		No data available	
Polymerization:		Will not occur	

10. STABILITY AND REACTIVITY

Reactivity:	No data available
Chemical Stability:	Stable under normal conditions of use.
Possibility of Hazardous Reactions	
Oxidizing Properties:	No data available
Conditions to Avoid:	Keep away from excessive heat and flames. Avoid contact with Alkalies , Strong caustics
Incompatible Materials:	Metals Strong alkalis Reducing agents
Hazardous Decomposition Products:	Thermal decomposition can lead to release of irritating gases and vapours. Thermal decomposition products may include Copper oxides

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

SAFETY DATA SHEET

Material Name: HOOF-TEC™ Copper-Shot Topical Spray
Revision date: 01-May-2015

Page 6 of 9
Version: 2.0

11. TOXICOLOGICAL INFORMATION

General Information: Toxicological properties of the formulation have not been investigated. The information in this section describes the potential hazards of the individual ingredients and the formulation.
Routes of exposure: eye contact , skin contact , inhalation

Acute Toxicity: (Species, Route, End Point, Dose)

Copper Sulfate, Pentahydrate

Rat Oral LD50 300 mg/kg
Rat Dermal LD50 > 2000 mg/kg

Citric acid

Rat Oral LD50 3000 mg/kg

Inorganic salt

Mouse Oral LD50 5989 mg/kg
Rabbit IV LD50 1220mg/kg

Ingestion Acute Toxicity Harmful if swallowed.

Irritation / Sensitization: (Study Type, Species, Severity)

Citric acid

Eye Irritation Rabbit Severe
Skin Irritation Rabbit Mild

Irritation / Sensitization Comments: May cause eye irritation.

Skin Irritation / Sensitization May cause skin irritation

Carcinogen Status: None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

Active Drug Substance Toxicity Data:

Acute Toxicity Estimate (ATE), ca. 1500 mg/kg
oral

SAFETY DATA SHEET

Material Name: HOOF-TEC™ Copper-Shot Topical Spray
Revision date: 01-May-2015

Page 7 of 9
Version: 2.0

12. ECOLOGICAL INFORMATION

Environmental Overview: Environmental properties of the formulation have not been investigated. The following information is available for the individual ingredients. Releases to the environment should be avoided.

Toxicity:

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Copper Sulfate, Pentahydrate

Lepomis macrochirus (Bluegill Sunfish) LC50 96 Hours 0.66 - 1.8 mg/L

Daphnia magna (Water Flea) EC50 48 Hours 0.147 - 0.227 mg/L

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Waste may be classified as hazardous due to the ph/corrosivity. Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

As of January 1, 2015, materials offered for transport that are classified for transportation only as Marine Pollutants and which are packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 Liters or less for liquids or having a net mass per single or inner packaging of 5 kilograms or less for solids are NOT subject to ICAO/IATA, IMDG, or ADR transport regulations provided the general packaging requirements of those regulations are met. Refer to ICAO/IATA A197, IMDG 2.10.2.7, ADR SP 375.

UN number: UN 3082
UN proper shipping name: Environmentally hazardous substances, liquid, n.o.s. (Copper Sulfate, Pentahydrate)
Transport hazard class(es): 9
Packing group: III
Environmental Hazard(s): Marine Pollutant

Please refer to the applicable dangerous goods regulations for additional information. Transport according to the requirements of the appropriate regulatory body.

DOT

ZT00083

SAFETY DATA SHEET

Material Name: HOOF-TEC™ Copper-Shot Topical Spray
Revision date: 01-May-2015

Page 8 of 9
Version: 2.0

Bulk packages regulated as indicated above. Not regulated for transport in non-bulk (< 400 kg) packages unless shipped by vessel (water). In addition, as of January 2015, marine pollutants in non-bulk single or combination packages shipped by vessel in quantities less than or equal to 5 kg (for solids) or less than or equal to 5 L (for liquids) are not regulated in transport if the packaging requirements and other criteria of 49 CFR 171.4 are met.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

WHMIS hazard class:

Class D, Division 2, and Subdivision B.

This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all of the information required by the CPR.



Citric acid

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	201-069-1

Copper Sulfate, Pentahydrate

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Australia (AICS):	Present
EU EINECS/ELINCS List	Not Listed

Inorganic salt

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	231-820-9

Water

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
REACH - Annex IV - Exemptions from the obligations of Register:	Present
EU EINECS/ELINCS List	231-791-2

SAFETY DATA SHEET

Material Name: HOOF-TEC™ Copper-Shot Topical Spray
Revision date: 01-May-2015

Page 9 of 9
Version: 2.0

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Serious eye damage/eye irritation-Cat.2A; H319 - Causes serious eye irritation
Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed
Skin corrosion/irritation-Cat.2; H315 - Causes skin irritation
Hazardous to the aquatic environment, acute toxicity-Cat.1; H400 - Very toxic to aquatic life
Hazardous to the aquatic environment, chronic toxicity-Cat.1; H410 - Very toxic to aquatic life with long lasting effects

Xi - Irritant
Xn - Harmful
N - Dangerous for the environment

R36 - Irritating to eyes.
R22 - Harmful if swallowed.
R36/38 - Irritating to eyes and skin.
R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Data Sources: The data contained in this SDS may have been gathered from confidential internal sources, raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 2 - Hazard Identification. Updated Section 11 - Toxicology Information.
Updated Section 14 - Transport Information.

Prepared by: Toxicology and Hazard Communication
Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet