

**PRESTAGE TURKEY STR-GRW VIT PX
(2020)****NP28148020**

Version 1.0

Revision Date 01/07/2021

Date of last issue: -

SECTION 1. IDENTIFICATION

Product name : PRESTAGE TURKEY STR-GRW VIT PX (2020)

Manufacturer or supplier's details

Company name of supplier : DSM Nutritional Products

Address : 45 Waterview Blvd
Parsippany NJ 07054-1298Telephone : (908) 475-7373
Telefax : (908) 475-7406Emergency telephone number : 1-800-424-9300 (24 HR CHEMTREC, CA & US); Outside CA
& US +1-703-741-5970 (COLLECT CALLS ACCEPTED)

E-mail address of person responsible for the SDS : sds.nutritionalproducts@dsm.com

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with 29 CFR 1910.1200**

Combustible dust

Eye irritation : Category 2A

Reproductive toxicity : Category 1B

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : May form combustible dust concentrations in air.
H319 Causes serious eye irritation.
H360 May damage fertility or the unborn child.Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**PRESTAGE TURKEY STR-GRW VIT PX
(2020)**
NP28148020

Version 1.0

Revision Date 01/07/2021

Date of last issue: -

P337 + P313 If eye irritation persists: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Risk of dust explosion.

Women of childbearing age must avoid any overexposure.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Brief description of the product : Mixture
uct

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
silicon dioxide (Amorphous)	7631-86-9	>= 30 - < 50
3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate	7695-91-2	>= 20 - < 30
nicotinamide	98-92-0	>= 10 - < 20
calcium pantothenate, D-form	137-08-6	>= 5 - < 10
1,2,3,4-tetrahydro-2-methyl-1,4-dioxonaphthalene-2-sulfonic acid, compound with nicotin-3-amide (1:1)	73581-79-0	>= 1 - < 5
pyridoxine hydrochloride	58-56-0	>= 1 - < 5
retinyl acetate	127-47-9	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
After any accidental exposure women should seek medical advice from a physician.
- If inhaled : Move to fresh air.
Consult a physician after significant exposure.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
If symptoms persist, call a physician.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Rinse mouth with water.
Do not give milk or alcoholic beverages.

**PRESTAGE TURKEY STR-GRW VIT PX
(2020)**
NP28148020

Version 1.0

Revision Date 01/07/2021

Date of last issue: -

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : No specific symptoms known.

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water
Foam

Specific hazards during fire-fighting : None known.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Consider dust explosion hazard.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use personal protective equipment.
Ensure adequate ventilation.
Avoid dust formation.
Avoid breathing dust.

Environmental precautions : Do not flush into surface water or sanitary sewer system.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.
Take precautionary measures against static discharges.

Advice on safe handling : Avoid formation of respirable particles.
Avoid exposure - obtain special instructions before use.
For personal protection see section 8.
Dispose of rinse water in accordance with local and national regulations.
Smoking, eating and drinking should be prohibited in the application area.

**PRESTAGE TURKEY STR-GRW VIT PX
(2020)**
NP28148020

Version 1.0

Revision Date 01/07/2021

Date of last issue: -

Conditions for safe storage : Store at room temperature.
Keep container tightly closed and dry.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
silicon dioxide (Amorphous)	7631-86-9	TWA (Dust)	80 mg/m ³ / %SiO ₂ (Silica)	OSHA Z-3
3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate	7695-91-2	TWA	8 mg/m ³	DSM Internal Limit
calcium pantothenate, D-form	137-08-6	TWA	10 mg/m ³	DSM Internal Limit
pyridoxine hydrochloride	58-56-0	TWA	3 mg/m ³	DSM Internal Limit
retinyl acetate	127-47-9	TWA	0.06 mg/m ³	DSM Internal Limit

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Hand protection
Remarks : Consider the hazard characteristics of this product and any special workplace conditions when selecting the appropriate type of protective gloves.
Glove material: for example nitrile rubber

Eye protection : Safety glasses with side-shields

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Avoid contact with skin, eyes and clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES
Information on basic physical and chemical properties

Appearance : powder

Odour : No information available.

Odour Threshold : No information available.

pH : No data available

Melting point/range : Not applicable

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Flammability (solid, gas) : May form combustible dust concentrations in air.

**PRESTAGE TURKEY STR-GRW VIT PX
(2020)**
NP28148020

Version 1.0

Revision Date 01/07/2021

Date of last issue: -

Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Density	: not determined
Water solubility	: not determined
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

Other information

No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No hazards to be specially mentioned.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: Dust may form explosive mixture in air.
Conditions to avoid	: Heat
Incompatible materials	: Strong acids and strong bases Strong oxidizing agents
Hazardous decomposition products	: No decomposition if used as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity silicon dioxide (amorphous)	: LD50 (Rat): > 5,000 mg/kg (OECD Test Guideline 401)
3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate	: LD50 (Rat): > 10,000 mg/kg (OECD Test Guideline 401)
nicotinamide	: LD50 (Rat, male and female): > 2,500 mg/kg (OECD Test Guideline 423)
calcium pantothenate , D-form	: LD50 (Rat): 21,920 mg/kg
menadione nicotinamide bisulfite	: LD50 (Rat): > 5,000 mg/kg
pyridoxine hydrochloride	: LD50 (Rat): > 6,600 mg/kg

**PRESTAGE TURKEY STR-GRW VIT PX
(2020)**
NP28148020

Version 1.0

Revision Date 01/07/2021

Date of last issue: -

- retinyl acetate : LD50 (Rat): 4,980 mg/kg
- Skin irritation : May cause skin irritation and/or dermatitis.
- Eye irritation : Dust contact with the eyes can lead to mechanical irritation.
- Genotoxicity in vitro
retinyl acetate : not mutagenic, not genotoxic (Various test systems)
- Carcinogenicity
IARC : No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- OSHA : No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- NTP : No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- Teratogenicity
retinyl acetate : Teratogenic
embryotoxic
- STOT - single exposure (Acute exposure) : The substance or mixture is not classified as specific target organ toxicant, single exposure.
- Experience with human exposure
retinyl acetate : RDA (Recommended Daily Allowance) 0.8 mg pure vitamin A (retinol) per day established for men
RDA (Recommended Daily Allowance) ca. 0.7 mg pure vitamin A (retinol) per day established for women
- Experience with human exposure: Skin contact
- menadione nicotinamide
bisulfite : Skin contact may provoke the following symptoms:
Toxic skin damage (especially on damp skin), Skin irritation, Discoloration, Drying of the skin, Blistering
- retinyl acetate : Skin contact may provoke the following symptoms:
Local irritation
- Experience with human exposure: Ingestion
retinyl acetate : Acute overdose produces the following symptoms:
Headache, Irritability, Tiredness, Drowsiness, Nausea, Vomiting, Signs of increased intracranial pressure, Generalized

**PRESTAGE TURKEY STR-GRW VIT PX
(2020)**
NP28148020

Version 1.0

Revision Date 01/07/2021

Date of last issue: -

desquamation of the skin (after ca. 24 hours)

Further information : May cause irritation of respiratory tract.

Aspiration toxicity : No aspiration toxicity classification

SECTION 12. ECOLOGICAL INFORMATION
Toxicity

Toxicity to fish
menadione nicotinamide
bisulfite : Oncorhynchus mykiss (rainbow trout)
LC50 (96 h) 0.43 mg/l
(nominal concentration)
(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates
menadione nicotinamide
bisulfite : Daphnia magna (Water flea)
EC50 (48 h) 0.77 mg/l
(nominal concentration)
(OECD Test Guideline 202)

Toxicity to algae
pyridoxine hydrochloride : Desmodesmus subspicatus (green algae)
EbC50 (72 h) 5.3 mg/l
(OECD Test Guideline 201)

Toxicity to fish (Chronic toxicity)
3,4-dihydro-2,5,7,8-
tetramethyl-2-(4,8,12-
trimethyltridecyl)-2H-
benzopyran-6-yl acetate : Oncorhynchus mykiss (rainbow trout)
NOEC (28 d) 100 mg/l
(nominal concentration)
(OECD Test Guideline 215)

No data is available on the product itself.

Persistence and degradability

Biodegradability
menadione nicotinamide
bisulfite : Not readily biodegradable.
40 % (28 d)
38 %, (7 d)
(OECD Test Guideline 301A)

pyridoxine hydrochloride : Readily biodegradable.
94 % (28 d)
(OECD Test Guideline 301E)

retinyl acetate : Not readily biodegradable.
33 % (28 d)
(OECD Test Guideline 301B)

No data is available on the product itself.

Bioaccumulative potential

Bioaccumulation : No data available

**PRESTAGE TURKEY STR-GRW VIT PX
(2020)**
NP28148020

Version 1.0

Revision Date 01/07/2021

Date of last issue: -

 Partition coefficient: n-
octanol/water : Not applicable

Mobility in soil

 Distribution among environ-
mental compartments : No data available

Results of PBT and vPvB assessment

Assessment : Not applicable

Other adverse effects

 Regulation 40 CFR Protection of Environment; Part 82 Protection of
Stratospheric Ozone - CAA Section 602 Class I Substances

 Remarks This product neither contains, nor was manufactured with a
Class I or Class II ODS as defined by the U.S. Clean Air Act
Section 602 (40 CFR 82, Subpt. A, App.A + B).

 Additional ecological informa-
tion : Harmful to aquatic organisms, may cause long-term adverse
effects in the aquatic environment. Toxic to aquatic organisms.

SECTION 13. DISPOSAL CONSIDERATIONS
Disposal methods

 Waste from residues : Discharge into the environment must be avoided.
Do not contaminate ponds, waterways or ditches with chemi-
cal or used container.
Do not dispose of waste into sewer.
Offer surplus and non-recyclable solutions to a licensed dis-
posal company.

 User must determine if any wastes generated exhibit hazard-
ous characteristics as per 40 CFR Part 261 or other national /
local legislation.

 Contaminated packaging : Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION
International Regulations
UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

**PRESTAGE TURKEY STR-GRW VIT PX
(2020)**
NP28148020

Version 1.0

Revision Date 01/07/2021

Date of last issue: -

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION
EPCRA - Emergency Planning and Community Right-to-Know Act
CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
methanol	67-56-1	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust
 Reproductive toxicity
 Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations
Massachusetts Right To Know

silicon dioxide (Amorphous)	7631-86-9
quartz (SiO ₂)	14808-60-7

Pennsylvania Right To Know

silicon dioxide (Amorphous)	7631-86-9
3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate	7695-91-2
nicotinamide	98-92-0

**PRESTAGE TURKEY STR-GRW VIT PX
(2020)**
NP28148020

Version 1.0

Revision Date 01/07/2021

Date of last issue: -

 rice hulls / rice flour
 calcium pantothenate, D-form
 calcium carbonate

 Not Assigned
 137-08-6
 471-34-1

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California List of Hazardous Substances


silicon dioxide (Amorphous)

7631-86-9

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION
Further information
NFPA 704:

HMIS® IV:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil

**PRESTAGE TURKEY STR-GRW VIT PX
(2020)****NP28148020**

Version 1.0

Revision Date 01/07/2021

Date of last issue: -

Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

ACGIH = American Conference of Governmental Industrial Hygienists. CFR = Code of Federal Regulations. EPA = Environmental Protection Agency. NIOSH = National Institute of Occupational Safety and Health. OSHA = Occupational Safety and Health Administration. STEL = Short term exposure limit. TLV = Threshold Limit Value. TLV-C = Ceiling Limit Value. TWA = Time Weighted Average.

Revision Date : 01/07/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN