



SAFETY DATA SHEET

Version 2

1. Identification of the Substance / Preparation and of the Company / Undertaking

Product Name: VERTEX CSS-10(R) 9616-8
Synonyms: VERTEX CSS-10®; VERTEX CONCENTRATE®; Pool Shock
Recommended Use: Industrial, Manufacturing or Laboratory use.
Company Name: Vertex Chemical Corporation, 11685 Manchester Road, St. Louis, Missouri 63131. (314) 471-0500

Emergency Telephone: VERTEX CHEMICAL CORPORATION 314-471-0500
NATIONAL EMERGENCY RESPONSE CENTER: 1-800-424-8802
CHEMTREC (US): 1-800-424-9300
Call CHEMTREC only in the event of chemical emergencies involving a SPILL, LEAK, FIRE, EXPOSURE, or ACCIDENT involving chemicals.

Email: vertexchem@vertexchem.com
www.vertexchemical.com

2. Hazards Identification

GHS - Classification

Skin corrosion/irritation	Category 1 Category 1B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 2
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1



Signal Word: Danger

Hazard Statements:

- Causes severe skin burns and eye damage
- May cause damage to organs
- Very toxic to aquatic life with long lasting effects

Physical Hazards

Corrosive to metals	Category 1
Oxidizing liquids	Category 2

- May be corrosive to metals

- May intensify fire; oxidizer

**Precautionary Statements:**

- Call a POISON CENTER or doctor if you feel unwell
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- Do not breathe dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician
- Store locked up
- Dispose of contents/container to industrial incineration plant
- Avoid release to the environment
- Dispose of contents/ container to an approved waste disposal plant
- Immerse in cool water/wrap in wet bandages
- Absorb spillage to prevent material damage
- Store in corrosive resistant aluminum container with a resistant inliner
- Keep away from heat/sparks/open flames/hot surfaces. — No smoking
- Keep/Store away from clothing/ combustible materials
- Take any precaution to avoid mixing with combustibles
- Wear protective gloves/protective clothing/eye protection/face protection
- In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
- Dispose of contents/container to industrial incineration plant

3. Composition / Information on Ingredients

Hazardous

Chemical Name	CAS No	Weight-%	EC No
Sodium hypochlorite	7681-52-9	10	231-668-3
Sodium chloride	7647-14-5	7	231-598-3
Sodium Hydroxide	1310-73-2	1	215-185-5

Non-Hazardous

Chemical Name	CAS No	Weight-%	EC No
Water	7732-18-5	Balance	231-791-2

4. First Aid Measures

- General Advice:** Immediate medical attention is required.
- Eye Contact:** Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.
- Skin Contact:** Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
- Inhalation:** Move to fresh air. Call a physician or poison control center immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Ingestion: Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison control center immediately.

Note to Physicians: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

Self-protection of the First Aider: Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

5. Fire-fighting Measures

Flammable Properties:

Not flammable, Highly exothermic reactions with organic materials and oxidizable materials may cause fires in adjacent, heat sensitive materials

Explosive Properties:

Containers of this material can explode as oxygen is liberated under high heat or fire conditions. Reacts to form explosive products with amines, ammonia or ammonium salts, methanol, aziridine. Explosive reaction with formic acid (@ 55°C), phenyl acetonitrile, ethylene amine

Suitable Extinguishing Media:

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment, Water spray may be used to keep fire exposed containers cool

Unsuitable Extinguishing Media:

No information available

Specific Hazards Arising from the Chemical:

The product causes burns of eyes, skin and mucous membranes, Thermal decomposition can lead to release of irritating and toxic gases and vapors, In the event of fire and/or explosion do not breathe fumes

Protective Equipment and Precautions for Firefighters:

In the event of a fire, wear full protective clothing and MSHA/NIOSH (approved or equivalent) self-contained breathing apparatus with full facepiece operated in the pressure-demand or other positive pressure mode

6. Accidental Release Measures

Personal Precautions: Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental Precautions: Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods for Cleaning Up: Soak up with inert absorbent material. Clean contaminated surface thoroughly. Dike far ahead of liquid spill for later disposal. Take up mechanically, placing in appropriate containers for disposal. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water.

Other Information: Not applicable.

7. Handling and Storage

Advice on Safe Handling: Use personal protective equipment as required. Use only with adequate ventilation. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems.

Storage Conditions: Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

Incompatible Materials: Strong acids and bases; Oxidizing agents; Ether, ammonia compounds, hydrogen peroxide, all acids, alum, reducing agents, human or animal waste, oxidizable or combustible materials such as wood, cloth or organic materials, organic chemicals such as solvents and solvent based cleaning compounds, fuels and fuel oils, amines, methanol, propane, organic polymers, ethylene glycol, insecticides, heavy metals such as iron, copper, magnesium, aluminum, tin, steel, stainless steel, carbon steel, manganese, zinc, chromium, nickel, cobalt and their alloys, sodium sulfite, sodium bisulfite, sodium hydrosulfite, sodium thiosulfate. Do not mix this product with any of the foregoing or hazardous gases can result.

8. Exposure Controls / Personal Protection

Chemical Name	ACGIH TLV	OSHA PEL	Ontario TWA			
Sodium Hydroxide	Ceiling: 2 mg/m ³	2 mg/m ³ Ceiling 2 mg/m ³ TWA	CEV: 2 mg/m ³			
Chemical Name	European Union	China	Japan	Korea	Australia	Taiwan
Sodium Hydroxide		Ceiling: 2 mg/m ³ Ceiling	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	2 mg/m ³ Peak	TWA: 2 mg/m ³

Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992)

Engineering Controls: Ensure adequate ventilation, especially in confined areas

Personal protective equipment (PPE)

Eye/Face Protection: Tight sealing safety goggles. Face protection shield.

Body Protection: Gloves made of plastic or rubber. Rubber boots. Suitable protective clothing. Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear chemical resistant clothing such as gloves, apron, boots or whole bodysuits made from neoprene, as appropriate.

General Hygiene Considerations:

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State:	Liquid	Odor:	Pungent, Chlorine Bleach Odor
Appearance:	Aqueous solution	Odor Threshold:	No information available
Color:	Clear Yellow		
Property	Values	Remarks • Method	
pH:	13		
"Salt Out" Point (°F):		No information available	
Melting Point/Freezing Point:	-18 °F / -1 °C		
Boiling Point/Boiling Range:	106 °C / 222 °C		
Flash Point:		No information available	
Evaporation Rate (BuAc=1):		No information available	
Flammability (solid, gas):		No information available	
Flammability Limits in Air:		No information available	
Upper Flammability Limit:			
Lower Flammability Limit:			
Vapor Pressure (mm Hg) :	65.8 @ 55°C		
Vapor density (Air =1)		No information available	
Specific Gravity (H₂O=1):	1.17		
Specific Gravity (2nd value):			

Water Solubility:	100% soluble in water	
Solubility(ies):		No information available
Partition Coefficient (n-octanol/water)		No information available
Autoignition Temperature:		No information available
Decomposition Temperature:		No information available
Kinematic Viscosity:	1.53 Centistokes	@ 77 °F
Dynamic Viscosity:		No information available
Oxidizing Properties:	No information available	
Explosive Properties:	Containers of this material can explode as oxygen is liberated under high heat or fire conditions. Reacts to form explosive products with amines, ammonia or ammonium salts, methanol, aziridine. Explosive reaction with formic acid (@ 55°C), phenyl acetonitrile, ethylene amine	

9.2. Other information

Softening Point:	No information available
Molecular Weight:	74.45
VOC Content(%):	No information available
Density:	No information available
Bulk Density:	No information available

10. Stability and Reactivity

Stability:	Stable under normal conditions of use and storage; Stability decreases with increased concentration, heat, light exposure, decrease in pH and contamination with heavy metals such as nickel, cobalt, copper and iron
Conditions to Avoid:	Exposure to air or moisture over prolonged periods; Excessive heat, exposure to light, reduced alkalinity, and contamination of any kind. Reduced alkalinity or contamination can result in evolution of chlorine (toxic) gas. Decrease in pH such as by mixing with other than water, and contamination with items mentioned below as incompatible can result in evolution of chlorine (toxic) gas
Incompatible Materials:	Strong acids and bases, Oxidizing agents, Ether, ammonia compounds, hydrogen peroxide, all acids, alum, reducing agents, human or animal waste, oxidizable or combustible materials such as wood, cloth or organic materials, organic chemicals such as solvents and solvent based cleaning compounds, fuels and fuel oils, amines, methanol, propane, organic polymers, ethylene glycol, insecticides, heavy metals such as iron, copper, magnesium, aluminum, tin, steel, stainless steel, carbon steel, manganese, zinc, chromium, nickel, cobalt and their alloys, sodium sulfite, sodium bisulfite, sodium hydrosulfite, sodium thiosulfate. Do not mix this product with any of the foregoing or hazardous gases can result.
Hazardous Decomposition Products:	Thermal decomposition can lead to release of irritating and toxic gases and vapors
Possibility of Hazardous Reactions:	None under normal processing

11. Toxicological Information**Product Information**

Acute Toxicity: 0% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

Chemical Name	Oral LD ₅₀ :	Dermal LD ₅₀ :	LC ₅₀ (Lethal Concentration):
Water	90 mL/kg (Rat)		
Sodium hypochlorite	8200 mg/kg (Rat)	10000 mg/kg (Rabbit)	
Sodium chloride	3 g/kg (Rat)	10 g/kg (Rabbit)	42 g/m ³ (Rat) 1 h
Sodium Hydroxide		1350 mg/kg (Rabbit)	

Chronic Toxicity:**Carcinogenicity:**

This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B)

Chemical Name	IARC
Sodium hypochlorite	Group 3

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

Target Organ Effects:

Eyes, Respiratory system, Skin

12. Ecological Information**Ecotoxicity**

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Very toxic to aquatic life with long lasting effects

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Sodium hypochlorite	0.095: 24 h <i>Skeletonema costatum</i> mg/L EC50	0.06 - 0.11: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 4.5 - 7.6: 96 h <i>Pimephales promelas</i> mg/L LC50 static 0.4 - 0.8: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 0.28 - 1: 96 h <i>Lepomis macrochirus</i> mg/L LC50 flow-through 0.05 - 0.771: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through 0.03 - 0.19: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 semi-static 0.18 - 0.22: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static	2.1: 96 h <i>Daphnia magna</i> mg/L EC50 0.033 - 0.044: 48 h <i>Daphnia magna</i> mg/L EC50 Static
Sodium chloride		5560 - 6080: 96 h <i>Lepomis macrochirus</i> mg/L LC50 flow-through 6020 - 7070: 96 h <i>Pimephales promelas</i> mg/L LC50 static 12946: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 7050: 96 h <i>Pimephales promelas</i> mg/L LC50 semi-static 6420 - 6700: 96 h <i>Pimephales promelas</i> mg/L LC50 static 4747 - 7824: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through	1000: 48 h <i>Daphnia magna</i> mg/L EC50 340.7 - 469.2: 48 h <i>Daphnia magna</i> mg/L EC50 Static
Sodium Hydroxide		45.4: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static	

Persistence and Degradability:

No information available.

Bioaccumulation:

No information available.

Mobility:

No information available.

13. Disposal Considerations**Waste from Residues/Unused Products:**

Disposal should be in accordance with applicable regional, national and local laws and regulations

Contaminated Packaging:

Do not reuse container.

14. Transport Information**DOT**

Proper shipping name CONSUMER COMMODITY
 Hazard Class ORM-D
 Description CONSUMER COMMODITY ORM-D

15. Regulatory Information**International Inventories**

All of the components in the product are on the following Inventory lists: TSCA (United States);, Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), South Korea (KECL);, China (IECSC), Philippines (PICCS), This product contains a substance not listed on international inventories - it is for research and development use only.

AICS Complies
 TSCA Complies
 DSL/NDSL Complies
 EINECS/ELINCS Complies
 ENCS -
 IECSC Complies
 KECL Complies
 PICCS Complies

Chemical Name	AICS	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS
Water	Listed	Listed	Listed	-	Listed	-	-	Listed	KE-35400	Present
Sodium hypochlorite	Listed	Listed	Listed	-	Listed	-	(1)-237	Listed	KE-31506	Present
Sodium chloride	Listed	Listed	Listed	-	Listed	-	(1)-236	Listed	KE-31387	Present
Sodium Hydroxide	Listed	Listed	Listed	-	Listed	-	(2)-1972 (1)-410	Listed	KE-31487	Listed

Inventory Legend

AICS - Australian Inventory of Chemical Substances
 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances

RESTRICTIONS - REACH TITLE VII No information available

US Federal Regulations**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	CERCLA Hazardous Substances and the Reportable Quantities	SARA Extremely Hazardous Substances EPCRA RQ	SARA Extremely Hazardous Substances TPQ
Sodium hypochlorite	100 lb 45.4 kg	100 lb	-
Sodium Hydroxide	1000 lb 454 kg	-	-

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive hazard	No


U.S. State Right-to-Know Regulations

California Proposition 65:

This product does not contain any Proposition 65 chemicals

16. Other Information

National Fire Protection Association (NFPA) Ratings



NSF/ANSI 60 Certification



Maximum Use (mg/L unless otherwise indicated): 84

Prepared By: HSE Department

Issue Date: 19-Oct-2012

Revision Date: 21-Jan-2016

Revision Note: SDS sections updated 3

Disclaimer:

Vertex Chemical Corporation ("Vertex") expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein.

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Vertex makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Vertex's control, and, therefore, users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes, and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.

End of Safety Data Sheet